

Index

Bold page numbers indicate sample exam questions.

A

- Accelerator keys, 219–20
- Access database, **284**
- Accessibility, 91–92
- Accountability, 45
- ACID test, 82
- Active Server Pages (ASP), 124, 192, 211, 217, **271**, **283**, **284**
- ActiveX controls, 122, 217, **274**
- ActiveX Data Objects (ADO), 255–56, **257**, **258**, **275**
- Adaptive tests, 4–5
 - budgeting time for, 13
 - questions in, 264
 - strategy for taking, 12–13, 268–69
 - taking notes in, 267
- Administrator account, 77
- Advanced Research Projects Agency, 23
- Aesthetics, 223
- Ambiguity, decoding, 265–66
- Animation control, 228
- Application architecture, 187
- Application design, 27
- Application development, 26–28
- Application distribution, 86–87
- Application model, 38, 50–52, **56**, **60**
 - business services, 51–52
 - data services, 52
 - user services, 51
- Application program interface (API), 251
- Application services, 27
- Application services supporting the middleware, 123–25
- Application types, 187–92
- Apply button, **273**
- ARPAnet, 23
- Asynchronous communications, **141**
- Atomicity, 82
- Attributes, 26, 153

- Auditing, 79
- Availability, 78, 89–90, **99**, **100**
 - in evaluating the logical design, 202, 203
 - in evaluating the physical design, 244
- Average requirements, 83

B

- Backend system, 22
- Backup domain controllers, 78
- Bandwidth, 82–83
- Batch processing, 21
- Benchmarks, 80
- Booch, Grady, 196
- Breadth of distribution, 86
- Briefcase, 92, **274**
- Browser-enhanced client applications, 122, **274**
- Browser-neutral client applications, 122
- Browsers, 191, 215, **271**, **283**, **284**
- Build-list-and-reorder questions, 7–8, 264
- Business application, **275**
- Business environment, 6, 30, **31**
- Business information systems, 24, **32**
- Business needs, 74–75
- Business objects, 201–2, **205**
- Business problem, developing solutions to, 23–29, **99**
- Business requirements, 218–19
- Business requirements analysis, 25, 65–98, **99–100**, **108**
- Business rules, **31**, **170**, **177**, **272**
- Business services, 22, 51–52, **60**, 111, 198
 - managing, 213

C

- .cab files, 139
- Capacity, 83
- Case studies, 5, 11, 29–30
 - background information, 30
 - environment, 30
 - players, 30

solution architecture, 30
 strategies for working with, 29
 Centralized systems, 20–21
 Central processing unit (CPU), 245
 Checkbox, 11
 Class, 248
 Client account, 77
 Client/server applications, 22, 149, 188, 206
 Client-side scripting, 122–23, 217
 Clustered systems, 244
 Clustering, 89
 Clusters, 245
 Codd, Edgar F., 148
 Collaborative applications, 192
 Collection objects, organizing data with, 249
 Columns, 153, 154
 Command interface, 190
 Command object, 255
 Common Gateway Interface (CGI)
 scripts, 192, 283
 Component design, 28, 246–49
 Component interface, 248
 Component Object Model (COM), 50,
 109, 119–20, 141, 246
 Components, 247–49, 275
 COM QueryInterface method, 254
 COM Transaction Integrator (COMTI),
 109–10, 280
 Conceptual design, 27, 33, 53, 192–95, 204
 documenting scenarios, 193–94
 usage scenarios, 193
 Connection object, 255
 Connection pooling, 131
 Connections, 129–32
 Connectivity, 95
 Consistency, 82, 222
 Console, 190
 Constraints, 26, 171, 272
 Context diagrams, 195
 Context-sensitive help, 220
 Contextual help, 220, 232
 Control facilities, 216
 Controls, 219–20, 228
 Cooperating components, 126
 Cram Sheet, 3
 Create-a-tree questions, 8–9, 264
 Current diagram, 194
 Customer Information Control System
 (CICS) transactions, 110
 Cycle of use, 98

D

Data

format and location of existing, 94–95
 growth of, 98
 integrity of, 26
 organizing, with collection objects, 249
 validation of, 226, 272
 Data access objects (DAO), 72, 92, 256,
 274, 285
 Database access, 28, 34, 250–56
 ActiveX data objects, 255–56
 Data Access Objects, 256
 native access, 251–52
 ODBC, 253
 ODBC API, 252
 OLE DB, 254–55
 Remote Data Objects, 256
 Universal Data Access, 253–54
 universal storage, 251
 Database connection, 129–32
 Database management system, 246
 Database performance, 270
 Database replication, 92, 274
 Databases, 134
 Database server, 132, 278
 Database services, 22, 34
 Data bound control, 184, 282
 Data calculations, 150, 270
 Data consumers, 254
 Data conversion, 96
 Data enhancement requirements, 96
 Data Flow diagrams, 194
 Data formats, 72
 Data integrity, 150, 169–71, 270
 business rules, 170
 constraints, 171
 referential integrity, 170–71
 stored procedures, 171
 DataLoader application, 186, 283
 Data models, 146–73
 developing, 26
 Data normalization, 26, 156–62, 271
 Data objects, 197, 199–200, 280
 Data services, 52, 60, 109, 112, 125, 198
 Data storage architecture, 127–28
 business requirements, 132
 connections, 129–32
 databases, 134
 extensibility, 133
 reporting, 133

- transactions, 128–29
- users, 133
- volume, 128
- Data warehouse, 133
- Decoding ambiguity
- Denormalization, 162–63, 175, 282
- Deployment, 134–35, 216–17
 - process, 135, 138–39
 - topology, 135–38
- Descriptive text, 279
- Desktop applications, 188, 286
- Developer skill sets, 72
- Development, 42, 57, 58, 61, 62
 - in evaluating the logical design, 202
- Development phase of process model, 47–48, 63, 276, 277
- Diagrams, 194
 - Entity-Relationship, 168–69
 - scenario, 194–95
- Dialog application, 190
- Dialog boxes, 227, 270, 283
 - common, 227–28
 - controls for, 230
 - tabbed, 29
- Directness, 221–22
- Distributed applications, 22, 32, 34, 188, 206, 245, 246, 275
- Distributed Component Object Model (DCOM), 120–21, 142, 275
- Distributed systems, 20, 21, 31
- Distributed transaction coordinator (DTC), 129, 142
- Distribution method, 86
- DLL components, 247
- Downtime
 - impact of, 90
 - planned, 88
 - system, 88
- Drop-and-connect questions, 10, 264
- Durability, 82
- Dynamic HTML (DHTML), 122
- Dynamic Web pages, 192, 211

E

- Encapsulated data access, 249
- End-user training, 72
- Encapsulation, 246
- Enterprise architecture model, 38
- Entities, 26, 153
- Entity-Relationship diagrams (E-R) diagrams, 168–69

- Environment
 - anticipated changes, 73
 - integration with existing, 93–96
- Envisioning phase of process model, 45–46, 61, 277
- Event propagation, facilitating, 214
- Exam coordinator, 3
- Exams. *See also* Adaptive tests; Fixed-length tests.
 - answers for, 264–65
 - assessing readiness for taking, 2
 - basics in taking, 13
 - layout and design, 5–6
 - build-list-and-reorder question format, 7–8
 - create-a-tree question format, 8–9
 - drop-and-connect question format, 10
 - multiple-choice question format, 6–7
 - preparing for, 268
 - situation for taking, 3–5
 - taking, 268–69
- EXE components, 247
- Existing response time characteristics, 85
- Expected solution lifetime, 73
- Explorer-style interface, 190
- Extensibility, 87–88, 133
 - in evaluating the logical design, 202
 - in evaluating the physical design, 244

F

- Fat client, 115, 116, 286
- Fat server, 116
- Fault tolerance, 78, 89, 103
- Feedback, 222
- Fields, 153
- Files, 153
- First normal form, 157–58
- Fixed-length tests, 4, 5
 - budgeting time for, 12
 - revisiting questions on, 266
 - strategy for taking, 11–12, 268
- Forgiveness, 222
- Foreign keys, 165–66, 177, 273, 281
- Functional specification, 193

G

- Geographic scope, 90
- Global universal identifications (GUIDs), 120, 272

Granularity, 201
 Graphical user interfaces (GUI), 51, 52,
 95, 213
 Group account, 77
 Guessing, 13
 Guest account, 77

H

Hardware platform, 72
 Help button, 231
 Help facility, 92
 Help menu, 220
 Hours of operation, 89
 Human factors, 90–93
 accessibility, 91–92
 localization, 91
 roaming users, 92
 target users, 91
 Hypertext Markup Language (HTML),
 121, 122, 192, 211, 274
 dynamic, 122
 static, 216–17

I

Image list control, 228
 Impersonation, 79
 Index, 173, 177, 274
 Information systems, 20
 evolution of, 20–23
 In-process components, 247
 Input, validation of, 226
 Integrated solution, 102
 Integration, 93–96
 Interaction objects, 197
 Interactive processing, 21
 Internationalization, 229
 Internet, 23
 Internet-enhanced application, 123, 141
 Internet Information Server (IIS), 123–24
 Internet-reliant application, 123
 Internet Server API (ISAPI), 192, 283
 Interoperability, 83
 Interprocess communication (IPC)
 mechanisms, 22
 Isolation, 82
 Iterative process, 197

J

Java Applets, 122, 217, 274
 Java Virtual Machine, 217

L

Labels, 279
 Legacy applications, 93–94, 102
 Legacy systems, 20, 23
 List view control, 229
 Local area network (LAN), 121, 245
 Localization, 91
 Logical design, 27, 33, 54, 152, 174–75,
 195–202, 204
 deriving objects and services of,
 199–202
 evaluating, 202–3
 modeling, 196
 principles of modular design, 196–98
 Logical three-tier model, 111–14
 Logistics management, 43, 57, 59, 276

M

Mainframes, 20–21, 279
 Maintainability, 78, 86–87, 99, 100
 in evaluating the logical design, 202
 in evaluating the physical design, 244
 Many-to-many relationships, 167–68, 176
 Mapping, 96
 Marketing, 19
 Master-detail relationship, 166
 MDB files, 150
 Memorization, 267–68
 Menu bar, 225, 228, 278
 Menus, 228
 Message Queuing, 121–25, 141
 Metadata, 26, 149
 Methodologies, 96–97
 Microsoft Access, 189, 257
 Microsoft Certified Professional site, 15–17
 Microsoft Cluster Services, 137
 Microsoft Data Access Components
 (MDAC), 253
 Microsoft Exchange, 192
 Microsoft Message Queue Server
 (MSMQ), 124–25, 141
 Microsoft Office 97 products, 141
 Microsoft Solution Framework, 38–54, 55
 application model in, 38, 50–52
 enterprise architecture model in, 38
 process model in, 38, 44–50
 solutions design model in, 38, 53–54
 team model in, 38, 39–43
 total cost of ownership model in, 38

Microsoft SQL Server, 146
 Microsoft Transaction Server (MTS), 34,
 109, 124, 246, 247
 Microsoft Visual Studio, 196
 Microsoft Windows Distributed interNet
 Applications, 126
 Middleware, 118, 123, 140
 application services supporting, 123–25
 Milestone-based approach, 45
 Minicomputer systems, 21
 Modal windows, 226
 Modeless secondary window, 226
 Modeling tools, 196
 Models, 195–96
 Modular components, 120–21, 142
 Modularization, 196–98, 244, 245
 Monolithic applications, 21
 Multiple-choice questions, 6–7
 with multiple answers, 7, 264
 with single answer, 6, 264
 Multiple document interface (MDI),
 189–90, 215, 224
 Multitiered application, implementing,
 119–26
 application services supporting the
 middleware, 123–25
 Component Object Model, 119–20
 data services, 125
 Distributed COM, 120–21
 Microsoft Windows Distributed
 interNet Applications, 126
 presentation services, 121–23

N

n-tier application architecture, 191
n-tier implementation, 118
 Narrative document, 193, 195
 National Computer Security Center
 (NCSC), 79
 Nativation, 219–20
 Native access, 251–52
 Native interface, 211
 Native presentation services tiers, 216
 Native user interface, 121, 214
 Network protocols, 72
 Network traffic, 238
 Normal forms, 157
 Normalization, 157
 Notepad, 188, 189

O

OLE DB, 254–55, 258
 One-to-many relationship, 166, 176, 281
 One-to-one relationship, 167, 176, 282
 One-to-zero relationship, 166, 281
 Online help, 93, 220, 232
 Online transaction processing (OLTP)
 systems, 81, 173
 Open database connectivity (ODBC), 94,
 140, 252, 253, 257, 271
 Open Database Connectivity (ODBC)
 API, 252
 Oracle database, 286
 Order Details table, 281
 Out-of-process components, 247

P

Parent-child relationship, 166
 Partial dependency, 160
 Peak requirements, 83
 Perceived performance, 80
 Performance, 80–85, 101, 140
 barriers to, 85
 in evaluating the logical design, 202
 in evaluating the physical design,
 243–44
 improving, 284
 Performance analysis and tuning, 243–44
 Performance bottleneck, 242, 244, 259
 Performance improvement, 278
 Performance tuning, 244
 Physical design, 33, 54, 152, 174–75, 204,
 236–56
 deriving, 28
 evaluating, 242–46
 Physical environment diagrams, 194, 195
 Planned downtime, 88
 Planning phase of process model, 46–47,
 61, 277
 Pop-up menu, 228
 Practicing, 2
 Presentation objects, 198
 Presentation services, 109, 111, 121–23,
 198, 213–17
 functions of, 230
 tier functions, 213–14
 tier implementations, 214–16
 tier technologies, 216–17
 Primary domain controllers, 78

Primary key, 155–56, 165, 174, 177, 271, 273, 274
 compound, 159
 numeric value for, 156

Primary window, 225

Process, 245

Process models, 38, 44–49, 55, 61–62, 277
 characteristics, 45
 development phase, 47–48, 63, 277
 envisioning phase, 45–46, 61, 277
 planning phase, 46–47, 61, 277
 stabilization phase, 48, 63, 277
 traditional, 49

ProductID, 281

Product management, 41, 57, 58, 276

Program management, 42, 57, 58, 276

Programmatic interfaces, 51

Programming object model, 272

Progress bar control, 229

Progressive disclosure, 223

Progress meters, 243

Project milestones, 55

Project plan approval milestone, 46

Project scope, 71–74

Property sheets, 226–27, 273

Proposed diagram, 194

Q

Query objects, 197

Questions, strategies for handling, 14

Queue, 90, 124

R

Read-only data in user interface, 223, 231

Real numbers, 156

Real performance, 80

Records, 153

Recordset object, 255–56

Redundancy, 244

Referential integrity, 170–71, 273

Relational database, 148–50, 174, 280
 data integrity, 150
 data normalization, 156–62
 defining relationships between entities, 152
 denormalization, 162–63
 designing, 150–52, 178
 determining purpose, 151
 final design, 168–69
 identifying attributes for each entity, 152

organizing data into entities, 152
 refining design, 152, 172–73
 separation of application and data, 149
 stored procedures, 149–50
 support for client/server model, 149
 tables in, 153–56

Relational database management system (RDBMS), 117, 125, 146, 172, 284

Relational database table, 274

Relationship database system, 270

Relationships between tables, 163–69

Release milestone, 48

Remote Access Service (RAS) line, 238

Remote administration, 78

Remote Data Objects (RDO), 256

Repeating groups, 158

Replication, 134

Replication manager, 92, 274

Reporting, 133

Response time, 85

Response time expectations, 85

Rich text box control, 229

Risk-driven scheduling, 45

Roaming users, 92

Role, 246

Rows, 153, 154–55

Rowsets, 254

S

Scalability, 97–98, 99, 100, 100, 140, 191
 definition of, 97
 in evaluating the logical design, 203
 in evaluating the physical design, 245

Scenarios, 192
 diagrams, 194–95
 documenting, 193–94
 usage, 193

Scope, 45–46

Scope complete/first use milestone, 48

Scrollbars, 225

Secondary windows, 226–28, 231

Second normal form, 157, 158–60

Security
 in analyzing business needs, 76–80, 99, 100
 context, 79
 in evaluating the logical design, 203
 in evaluating the physical design, 246
 fault tolerance, 78
 level needed, 79
 maintainability, 78

- plan distribution, 78
 - policies, 78
 - requirements analysis, 76
 - roles, 77
 - Server-side scripting, 124
 - Shortcut keys, 219–20
 - Simplicity, 223
 - Simulation, 4
 - Single document interface (SDI), 188–89, 215
 - Single threaded component, 278
 - Single-tier application, 190–91
 - Single-tier implementation, 114–15
 - Slider control, 229
 - Software platform, 72
 - Solution architectures, 25–26, 108–10
 - analyzing, 30
 - implementing multitiered application, 119–26
 - options in, 111
 - Solutions
 - deploying and maintaining, 28–29
 - developing, to business problems, 23–29
 - feasibility, 134
 - Solutions design model, 38, 53–54, 56
 - conceptual design, 53
 - logical design, 54
 - physical design, 54
 - Solution technologies, 126–27
 - development tools, 127
 - proprietary technologies, 127
 - solution type, 127
 - standards, 126
 - technology environment, 127
 - Stabilization phase of process model, 48, 61, 63, 277
 - Standards, 219
 - Static HTML, 216–17
 - Static text, 279
 - Static Web pages, 191, 211
 - Status bar, 225
 - Status bar control, 229
 - Status bars, 221
 - Stored procedures, 149–50, 171, 177, 272, 278
 - processing, 242
 - Structured Query Language (SQL), 51, 148
 - Structured Query Language (SQL) Access Group, 252
 - Structured Query Language (SQL) Server, 241, 275
 - Structured Query Language (SQL)
 - statements, 51, 171
 - processing, 242
 - System, 245
 - System downtime, 88
 - Systems Development Life Cycle (SDLC), 44, 49, 55
- ## T
- Tabbed dialog boxes, 29
 - Tables, 153–56
 - relationships between, 163–69
 - Target audience, 215
 - Target users, 91
 - Task flow, controlling, 213–14
 - Task help, 220, 232
 - Task-oriented model, 49
 - Task/sequence diagrams, 195
 - TCP/IP, 277
 - Team model, 38, 39–43, 55, 57–59, 276
 - characteristics, 40–41
 - development, 42
 - logistics management, 43
 - product management, 41
 - program management, 42
 - sharing team roles, 43
 - testing, 42
 - user education, 43
 - Technical architecture, developing, 25–26
 - Telecommunication lines, 21
 - Terminal emulation, 102, 280
 - software for, 95
 - Testing, 42, 57, 59, 276. *See also* Exams.
 - software for, 12, 266
 - Tests. *See* Adaptive tests; Fixed-length tests.
 - Text box, 223, 231
 - Third normal form, 160–62
 - Thread, 245
 - Three-tier application, 205
 - Three-tier client/server model, 22–23, 34
 - Three-tier implementation, 117–18
 - Three-tier physical model, 140
 - Time, budgeting of, 12
 - Time-sharing, 21
 - Title bar, 223–24, 225
 - Toolbar control, 229
 - Toolbars, 225
 - ToolTips, 221
 - Total cost of ownership model, 38
 - Transaction analysis, 173
 - Transaction length, 128–29

Transaction per time slice, 81
 Transaction rate, 128
 Transactions, 81, 128–29, 150, 271
 Transactions per second, 81, 101
 Transaction support, 150
 Tree view control, 229
 Two-phase commit, 129
 Two-tier application model, 7, 140, 191, 279
 Two-tier architecture, 109
 Two-tier client/server model, 22
 Two-tier implementation, 115–17
 Two-tier model, 271

U

Unified Modeling Language (UML), 196
 Universal Data Access, 253–54
 Universal storage, 251
 Update objects, 197
 Updown control, 229
 User assistance, 220–21
 providing, 214
 User education, 43, 57, 59, 59, 276
 User interface, 28, 210, 213, 272, 278
 prototype, 224–25
 read-only data in, 231
 repeating, 225
 testing, 225
 User interface design, 27, 224
 guidelines, 218
 aesthetics, 223
 business requirements, 218–19
 common mistakes, 223–24
 consistency, 222
 directness, 221–22
 feedback, 222
 forgiveness, 222
 navigation and control, 219–20
 simplicity, 223
 standards, 219
 user assistance, 220–21
 User interface objects, 215

Users, 133
 growth of, 97
 roaming, 92
 User services, 22, 34, 51, 60, 111, 213
 managing, 213

V

Validation of input, 226
 VBSQL, 251
 Version compatible, 120
 Versioned releases, 45, 55, 244
 Version identical, 120
 Version incompatible, 120, 273
 Vision, 45–46
 Vision/scope approval milestone, 46
 Visual Basic, 192, 211, 216, 255
 Visual C++, 216
 Visual Modeler, 196
 Vocabulary, 266
 Volume, 128

W

Web applications, 191–92, 206
 Web-based applications, 87, 215, 277
 Web-based user interface, 121, 215
 Web pages, 191–92
 dynamic, 192, 211
 static, 191, 211
 What's This? command, 220
 Whole numbers, 156
 Wide area network (WAN), 121, 245
 Window menu, 205
 Windows
 primary, 225
 secondary, 226–28
 Windows Common Controls, 228–29
 Windows NT, 77, 203, 246
 Winsock control, 277
 Wizards, 190, 221, 231
 Workflow/process diagrams, 194–95