

Index

- Absolute pressure 356
- Acceleration errors
 - compasses 83
 - gyro horizons 120
- Accelerometer 258, 266
- Aclinic line 81
- Active display 13
- Address bus 153
- Agonic lines 80
- Aircraft magnetism and components
 - hard-iron 87
 - soft-iron 88
 - total magnetic effect 90
- Air data alerting and warning systems 68
- Air data computers
 - analog 161
 - digital 177
- Air data instruments 39
- Air data system 28
- Airspeed indicators
 - pneumatic 39, 40, 42
 - servo-operated 39, 168
- Air temperature indicators
 - SAT 61, 68, 176
 - TAT 64, 176, 367
- Air temperature sensing 60
- Alpha angle 73
- Alphanumeric displays 14, 283
- Alpha sensor 74
- Alternate pressure sources 36
- Altimeters
 - pneumatic 39, 49
 - servo-operated 174, 180
- Altimeter setting region 54
- Altitude 55
- Altitude alerting system 71
- Analog/digital converter 156
- Angle of attack indicators 77
- Angle of attack sensing 73
- Angle of dip 81
- Angular momentum 98
- Annual change 80
- Apparent drift 102
- ARINC 429 158
- ARINC 629 160
- Arithmetic logic unit 153
- Atmospheric pressure 25
- Atmospheric temperature 27
- Attitude director indicator (ADI) 10, 210
- Ball type erection unit 115
- Barometric pressure setting 51
- 'Basic six' layout 20
- 'Basic T' layout 21
- B/H curve 185
- Binary-coded format 152
- Byte 153
- Calibrated airspeed (CAS) 41
- Capacitance type fuel quantity indicating systems
 - adjustments 340
 - compensator systems 332
 - densitometer 334
 - effects of fuel temperature 331
 - electronic displays 341
 - fail-safe and test circuits 341
 - fuel mass measurement 331
 - principle of 328
 - probes 328, 335, 336, 339
 - refuelling and load control 344
 - totalizer indicators 343
- Cartesian coordinates *see* Synchro systems
- CDX synchro *see* Synchro systems
- Central processing unit (CPU) 153
- Characterization of tank probes 339
- Chemosphere 25
- Circular scale 1
- 'Clock' type display 1
- Coercivity 186
- Cold junction temperature compensation 322, 363
- Compass coupler 198
- Compensating leads 325
- Compensator tank probe 333
- Component 'P' 88
- Component 'Q' 88
- Component 'R' 88
- Computed airspeed 41
- Computer languages 155
- Computer program 152
- Control bus 153
- Control of drift 105, 196
- Control of transport wander 105, 263
- Control synchro *see* Synchro systems
- Control transformer *see* Synchro systems
- CRT displays 283
- Data bus 153
- DATAc *see* ARINC 629

- Data highway 152, 157
- Data transfer 156
- Declination 79
- Densitometers 334
- Deviation coefficients 91
- Deviation compensation 93, 205
- Dielectric constant 328
- Differential synchros *see* Synchro systems
- Digital/analog converter 156
- Digital computer 152
- Digital display 5
- Direction indicator
 - construction 125
 - control of drift 127
 - erection devices 127
 - gimbal errors 127
- Directional gyroscope unit 192, 195
- Direct memory access (DMA) 155
- Director displays 10
- Direct-reading compasses
 - acceleration errors 83
 - aperiodic 81
 - compass safe distance 83
 - construction 81
 - dip compensation 81
 - liquid expansion compensation 83
 - location 83
 - turning errors 85
- Displays
 - digital 5, 13
 - director 7
 - dual-indicator 7
 - electronic 12, 13, 15, 283
 - head-up 17
 - high-range long-scale 3
 - qualitative 1
 - quantitative 8
- Diurnal change 80
- Dot-matrix display 13
- Dual-indicator displays 7
- Dynamic counter display 7

- Earth gyroscope 105
- Earth rate 102, 264
- Earth's atmosphere 25
- Earth's total force 81
- ECAM
 - components of 387
 - display modes 388
 - system testing 391
- Eddy-current drag principle 348
- EFIS
 - data source selection 306
 - display of air data 306
 - display presentations 299
 - failure annunciation 305
 - units of 296
- EICAS
 - alert messages 382
 - components of 377
 - display modes 380
 - failures 383
 - maintenance control panel 385
- Electrical capacitance
 - governing factors 327
 - in a.c. circuits 328
 - principle of 326
 - units of 327
- Electrical zero *see* Synchro systems
- Electrolytic type levelling switch 119
- Electronic ADI 299
- Electronic displays 12, 296, 377
- Electronic HSI 302
- Elevation 55
- Engine pressure ratio system 365
- Engine vibration monitoring 375
- Equivalent airspeed (IAS) 41
- Erection errors *see* Gyro horizon
- Exhaust gas temperature 359
- Exosphere 25
- Extension leads 324
- External circuit resistance 324

- Fast erection systems *see* Gyro horizon
- Flight director systems
 - comparator and warning system 235
 - components of 208
 - dual systems 234
 - flight mode annunciators 225
 - go-around switches 227
 - interfacing with INS 238
 - mode controllers 223
 - operating sequences 228
- Flight levels 55
- Flight management system 399
- Flight mode annunciators 225
- Flight mode controllers 223
- 'Floated gyro' 269
- Flux detector elements 182
- Force-balance transducer 164
- Fuel flow measurement
 - basic system 367
 - integrated system 369

- Gauge pressure 310
- Geographic poles 78
- Gimbal error 106, 127
- Gimbal lock 106
- Gimballing effects 121, 127
- Graduation marks 2
- Gyroscopic properties 97
- Gyroscope reference datums 101
- Gyroscopic flight instrument operation
 - pneumatic 106
 - electric 108
- Gyro horizon
 - acceleration and turning errors 120
 - electric 112
 - erection cut-out 122

- erection rate 120
- erection systems 114
 - fast erection system 119
 - pitch-roll erection 123
 - pneumatic 110
 - principle of 108
 - standby attitude indicator 113
- Gyro-stabilized platform 260
- Hard-iron magnetism *see* Aircraft magnetism and components
- Hardware 152
- Head-up displays 17
- Height 55
- High-range long-scale displays 3
- Horizontal situation indicator (HSI) 216
- Hysteresis loop 186
- Immersion type thermocouple 322, 359
- Indicated altitude 51
- Indicated airspeed (IAS) 41
- Indicated/computed airspeed indicator 48
- Inertial navigation/reference systems
 - accelerometers 258, 266
 - action codes 281
 - alignment sequencing 279
 - components of 246
 - displays and annunciations 275
 - gimbal platform arrangement 265
 - gyro-stabilized platform 260
 - malfunction codes 282
 - mode selection 273
 - principle of 256
 - ring laser gyroscope 270
 - slewing 280
- Inferred density systems 333
- Input/output (I/O) ports 155
- Instantaneous vertical speed indicator (IVSI) 59
- Instrument grouping
 - flight instruments 20
 - power plant instruments 21
- Instrument panels 19
- Integrated rate gyroscope 261
- International standard atmosphere (ISA) 28
- Interrupts 155
- Ionosphere 28
- Isoclinals 81
- Isodynamic lines 81
- Isogonal lines 80
- Kilobit *see* Memory
- Label (digital code) 158
- Lapse rate 27
- Latitude 250, 252
- Light-emitting diode (LED) 13
- Linear scale 2
- Limiting speeds
 - M_{mo} 42, 171
 - V_{mo} 42, 171
- Liquid crystal display (LCD) 15
- Location of tank probes 336
- Logarithmic scale 2
- Long-reach probe 362
- Longitude 250, 252
- LVDT 365, 370
- Mach/airspeed indicator 46, 172
- Machmeter 44
- Mach number 45
- Mach speed indicator 170
- Mach warning system 69
- Magnetic dip 80
- Magnetic equator 80
- Magnetic foci 79
- Magnetic heading reference system (MHRS)
 - detector elements 182
 - deviation compensation 205
 - dual systems 206
 - integration with INS 198
 - monitored gyroscope system 192
 - operating modes 203
 - synchronizing 201
- Magnetic meridian 78
- Magnetic variation 79
- Manifold pressure indicators 355
- Manometric system 28
- Memory
 - capacity 155
 - types 154
 - 'Memory bugs' 8
- Mercury type levelling switch 117
- Microfarad 327
- M_{mo} *see* Limiting speeds
- Moving-tape display 5
- Navigation
 - fundamentals 249
 - terms 254
- Non-volatile memory *see* Memory
- Operation code 152
- Operand 153
- Operational range markings 7
- Passive display 13
- Pendulosity errors *see* Gyro horizon
- Pendulous vane unit 114
- Percentage rpm indicator 350
- Performance data computer system 394
- Permalloy 184
- Permeability 186
- Permittivity 327
- Phase quadrature 118

- Picofarad 327
- Piezoelectric sensor 165, 312
- Pipelines and drains 37
- Pitot pressure 28, 40
- Pitot probe 31
- Pitot probe heating 32
- Pitot-static probe 29
- Polar coordinates *see* Synchro systems
- Position error 34, 161
- Precession 99
- Pre-indexed detector element 190
- Pressure altitude 51
- Pressure error *see* Position error
- Pressure measurement
 - indicating systems 309
 - pressure switches 312
- 'Q' code 54
- Qualitative displays 8
- Quantitative displays 1
- Radio magnetic indicator 196
- Ram rise 60
- Random-access memory (RAM) *see* Memory
- Rapid response probe 359
- Raster scanning 287
- Rate gyroscope 129
- Ratiometer system 316
- Read-only memory *see* Memory
- Real drift 103
- Recovery factor 62, 360
- Refuelling and load control 344
- Remote-indicating compass *see* Magnetic heading reference system
- Resolver synchro *see* Synchro systems
- Rho-theta 287
- Ring laser gyroscope 270
- 'Rolling digit' configuration 15, 24
- RPM indicating systems 347
- SAT indicators *see* Air temperature indicators
- Saturation point 186
- Scale base 2
- Scale length 3
- Scale marks 2
- Scale range 4
- Schuler pendulum 260
- Secular change 80
- Seebeck effect 320
- Segment matrix display 13
- Shadow mask 290
- Short-reach probe 362
- Slewing 280
- Soft-iron magnetism *see* Aircraft magnetism and components
- Software 153
- Space gyroscope 97
- Square-law compensation 43, 171
- Stagnation point 40
- Stagnation type probe 359
- Stalling angle 73
- Stall warning systems 73
- Standard altimeter setting 54
- Standard atmosphere 27
- Standby attitude indicator 113
- Standby engine indicator 384
- Static air temperature (SAT) 60
- Static counter display 7
- Static pressure 28
- Static source error correction 165
- Static vents 35
- 'Stick-push' 74, 76
- 'Stick-shaker' 74
- Straight scale 5
- 'Strapdown' configuration 279
- Stratopause 25
- Stratosphere 25
- Supercharging 355
- Surface contact thermocouple 322
- 'Swinging' 93
- Synchronizing (MHRS) 201
- Synchro systems
 - cartesian coordinates 146
 - control synchro 135, 140, 192
 - control transformer 140
 - differential synchros 142, 199
 - electrical zero 136
 - polar coordinates 146
 - resolver synchro 145
 - synchrotel 148
 - torque synchro 135, 136
- Synchrotel *see* Synchro systems
- Tacho probe 352
- TAT indicators *see* Air temperature indicators
- TAT probes 61
- TDX synchro *see* Synchro systems
- Temperature indicating systems
 - external circuit 324
 - ratiometer 316
 - thermo-emf 320, 359
 - Wheatstone bridge 324
- Terrestrial magnetism 78
- Thermistor 324
- Thermocouples
 - materials 320, 410
 - locations 322, 360
- Thermo-emf system 320, 359
- Thermomagnetic shunt 324
- Torque indicating system 357
- Torque motor and levelling switch system 116, 196
- Torque synchro *see* Synchro systems
- Total air temperature (TAT) 61
- Transition altitude 55

Transport wander 104, 263
Tropopause 25
Troposphere 25
True airspeed (TAS) 42, 174
'Tuning' spring 44
Turn and bank indicator 129
Turn coordinator 133
Turning errors
 compasses 85
 gyro horizons 120
Vertical speed indicator 55
 V_{mo} *see* Limiting speeds
Volatile memory *see* Memory
Volumetric top-off 344
Wheatstone bridge system 315
Word 153