

Index

- $\epsilon - \delta$ identity, 10
- MATLAB[®]
 - invariants, 35
 - symbolic
 - invariants, 36
- acceleration field, 106, 172
- adiabatic, 212, 275
- angular momentum, 176
- axiom of impenetrability, 106
- balance laws, *see* conservation of
- barotropic, 278, 280
 - fluid, 275
- base vectors, 7
- basis
 - orthogonal, 7
- Bernoulli equation, 280
- bi-harmonic equation, 242, 255
 - polar form, 246
- box product, *see* triple scalar product
- caloric equation of state, 180
- Cartesian axes, 7
- Cauchy deformation tensor, 118, 208
 - left, 292
 - right, 133, 136, 292
- Cayley-Hamilton theorem, 294
- characteristic equation, 31
- Christoffel symbols
 - of the first kind, 354
 - of the second kind, 351
- circulation, 41, 281
- Clausius-Duhem equation, 167, 179, 181, 182
 - local form, 182
- coefficient of
 - bulk viscosity, 272
 - thermal expansion, 252
- compatibility
 - Beltrami-Michell, 224, 253, 254, 258
 - equations, 254
 - strain, 128
- compliance
 - creep, 318
 - shear, 316, 320
 - volumetric, 320
- concentrated moment, 55
- configuration, 103
 - current, 104, 105, 116
 - initial, 106
 - reference, 104–106
- conservation of
 - angular momentum, 167, 182
 - energy, 167, 177, 179, 186
 - linear momentum, 167, 182, 186
 - mass, 167, 169, 182
- constitutive equations, 167, 179, 196, 198, 272
- continuity equation, 169, 213, 278
- contraction, 17
- convective rate of change, 112
- covariant
 - base vectors, 353
 - derivative, 353
 - derivative of tensors, 355
- creep, 315
 - function, 316
 - response
 - Kelvin, 316
 - Maxwell, 317
- cross product, 11, 15
- cubical dilatation, 123
- curl, 38
- decomposition
 - additive, 134
 - multiplicative, 134
- deformation, 103, 117
 - gradient, 116, 117, 134
 - homogeneous/inhomogeneous, 117
- del operator, 38, 112
- density, 53, 54, 109
- determinant
 - cofactor, 21
- deviatoric response, 310, 311
- dilatational response, 310, 320

- Dirac delta function, 317
- direction cosines, 25
- displacement, 103, 110, 120
 - differential, 127
 - field, 110
- displacement gradient, 120
- distortional response, 320
- divergence, 38
 - theorem of Gauss, 40, 62
- dot product, 11
- double dot product, 14
- dual basis, 345
- dummy index, 8
- dyad, *see* tensor product
- dyad-dyad product, 13

- eigen problem, 216
 - characteristic equation, 31
 - eigenvalue, 30
 - eigenvector, 30
 - normalized, 34
- elastic materials, 178
- elasticity, 211
 - Airy stress function, 242, 246, 259
 - constants
 - C_{ijkl} , 212
 - anisotropic, 215, 219
 - bulk modulus, 217
 - isotropic, 215, 223
 - Lamé, 215, 217, 221
 - modulus of elasticity, 216
 - orthotropic, 221
 - Poisson's ratio, 216
 - shear modulus, 216, 219
 - elastodynamics, 223, 225
 - elastostatics, 223
 - linear, 211
 - linear solid, 199
 - nonlinear, 211, 285
 - plane, 238
 - semi-inverse, 243
 - symmetry, 219, 220
 - three dimensional, 253
 - displacement formulation, 253
 - stress formulation, 253
- energy
 - balance, 213
 - mechanical, 179
 - thermal, 179
 - density, 178
 - equation, 179
 - internal, 178
 - specific internal, 178
- entropy, 179
- equation of state
 - fluid, 271
- equations of motion, 174
 - Eulerian, 172
 - Lagrangian, 172
 - local, 172
- equilibrium, 61
 - force and moment, 61
 - balance of moments, 62
 - equation, 174, 253
 - local equations, 61
- Euclidian space, 7
- Euler equation, 275, 276, 278, 280
- Eulerian
 - description, 109, 273
 - strain, 118

- field equations, 167
- first law of thermodynamics, 167, 179
- fluid, 271
 - linear viscous, 199
 - Newtonian, 271, 272
 - Stokesian, 271, 272
- force
 - body, 53, 223
 - contact, 53
 - surface, 53
- Fourier's law, 178, 253

- Galerkin vector, 255, 256
- gas dynamics equation, 278
- gradient, 38
 - scalar, 38
 - vector, 38
- Green's deformation tensor, 117
- Green's second identity, 51

- harmonic, 231
- heat, 179
 - conduction, 253
 - flux, 178
 - supply, 178
- Helmholtz, theorem of, 254
- homogeneous, 212
 - body, 54
 - deformation, 117
- Hooke's law, 211, 214–216, 219, 240, 241, 253

- isotropic body, 223
 - plane strain, 241
- hydrostatics, 276
- hyperelastic material, 214
- incompressible
 - fluid, 275
 - material, 294
- indices
 - raising and lowering, 346
- indicial notation, 5, 16
 - free index, 16
- inelastic, 211
- infinitesimal
 - deformation theory, 120
 - rotation tensor, 127
 - strain tensor, 127
- inner product, 17
- internal
 - constraint, 294
 - energy, 213
- invariance, 189
- invariants, 31, 35
- inverse mapping, 105
- inviscid fluid, 275
- irrotational, 254, 280
 - flow, 278
- isochoric, 145
- isothermal, 212, 275
- Jacobian
 - determinant, 106
 - matrix, 344
- Kelvin problem, 256
- Kelvin's theorem, 280, 281
- kinematics, 103
- kinetic energy, 177
- Kronecker delta, 9, 19
- Lagrange multiplier
 - stress, 72
- Lagrangian
 - description, 109
 - equations of motion, *see* equations of motion
- Lamé strain potential, 255
- laminar flows, 275
- Laplace equation, 279
- left stretch tensor, 134
- linear
 - independence, 344
 - momentum, 171
 - transformation, 5, 30
 - antecedent, 30
 - image, 30
 - local rate of change, 112
- mapping, 103
- mass, 169
 - density, 169
- material
 - body, 103
 - coordinates, 105, 109, 121
 - derivative, 111, 112
 - of a line element, 143
 - of a line segment, 143
 - of a volume, 145
 - of an area, 144
 - of Jacobian, 144
 - operator, 112
 - description, 109, *see* referential description, 110, 118
- material frame indifference, 189
- matrix, 19
 - column matrix, 19
 - addition, 19
 - adjoint, 23
 - decomposition, 20
 - determinant
 - diagonal matrix, 22
 - expansion by cofactors, 22
 - minor, 21
 - signed minor, 21
 - determinant of square matrix, 21
 - diagonal, 19
 - exponent rule, 20
 - identity, 19
 - inverse, 23
 - multiplication, 20
 - associative, 20
 - commutative, 20
 - null, 19
 - orthogonal, 24
 - prefactor/postfactor, 20
 - row matrix, 19
 - scalar multiplication, 20
 - singular, 22
 - skew-symmetric, 19
 - square, 19
 - square of, 20
 - square root, 20

- symmetric, 19
- trace, 31
- transpose, 19
- vector-tensor product, 24
- zero, 19
- mechanical power, 177
- Mohr's circle, 189
 - for stress, 76
- moment
 - of momentum, 176
 - vector, 55
- Mooney-Rivlin material, 292, 296
- motion, 103, 117
- multiplication
 - cross product, 15
 - double dot product, 16
 - dyad product, 15
 - dyad-dyad product, 16
 - tensor-tensor product, 16
 - triple cross product, 15
 - triple scalar product, 15
 - vector by scalar, 15
 - vector by vector, 15
 - vector-dyad product, 15
 - vector-tensor products, 16
- Navier equation, 224, 225, 240, 253, 254, 257
 - plane strain, 241
- Navier-Stokes equations, 273–275
- neo-Hookean material, 292, 296
- Newton's laws, 55
- nonion form, 12
- Ogden material, 297
- orthonormal, 7
- orthotropic, 221
- outer product, 17
- Papkovich-Neuber, 257
- partial differentiation
 - subscript comma notation, 37
- particles, 103
- path, 106
- permutation symbol, 9, 10
- plane strain, 124, 238
 - generalized, 241
- plane stress, 80, 238
 - generalized, 241
- plastic material, 199
- polar
 - coordinates, 245
 - decomposition, 134
 - material, 176
- polymer, 309
 - chain, 287
 - conformation, 287
- positive/negative definite, 37, 134
- potential flow, 278
- pressure
 - function, 276
 - head, 280
 - hydrostatic, 271
 - thermostatic, 271
- principle of linear momentum, 55
- rate of
 - deformation, 137, 138
 - extension, 139
 - shear, 140
 - stretching, 139
- reciprocal vectors, 345
- referential
 - coordinates, 105
 - description, *see* material description
- relaxation, 315
 - function, 318
- residual stress, 214
- resilience, 285
- retardation time, 316
- right
 - principal direction of stretch, 135
 - stretch tensor, 134
- rigid body, 103
 - displacement, 132
 - translation, 135
- rotation
 - tensor, 134
 - vector, 127
- rubber
 - butadiene, 285
 - molecular approach, 287
 - natural, 285
- Saint-Venant
 - extension, 227
 - flexure, 236
 - pure bending, 234
 - torsion, 228
- scalar, 6
 - field, 37
 - product, 11

- second law of thermodynamics, 179, 186
- simple shear deformation, 119
- solenoidal, 254
- spatial
 - coordinates, 105, 121
 - description, 110, 118
 - position, 105
 - velocity gradient, 137
- specific
 - entropy, 180
 - entropy production, 181
 - free energy, 186
 - heat, 253
 - internal energy, 178
- steady flow, 276
- Stokes'
 - condition, 272
 - theorem, 41
- strain, 104
 - axial, 217
 - deviator tensor, 123
 - energy, 211, 213
 - energy density, 213
 - engineering shear, 123
 - Eulerian, 118, 175
 - linearized, 120
 - finite strain tensor, 116
 - gauge rosette, 125
 - infinitesimal, 123
 - invariants, 121
 - Lagrangian, 117, 118, 175
 - linearized, 120
 - linear, 120
 - longitudinal, 121, 132
 - mean normal, 123
 - normal, 121
 - principal, 121
 - deviator, 124
 - directions, 121, 123
 - pure, 127
 - rate of, 140
 - shear, 125
- strain rate, *see* strain, rate of, 310
- strain-displacement equation, 253
- streamline, 280
- stress, 53
 - as a tensor, 58
 - axial, 217
 - Cauchy
 - formula, 58, 59, 61
 - principle, 54, 56
 - characteristic equation, 67
 - components, 59
 - compressive, 59
 - deviatoric, 85, 252
 - principal values, 86
 - extremal values, 72
 - first Piola-Kirchhoff, 173
 - hydrostatic, 85
 - invariants, 67
 - maximum
 - and minimum values, 71
 - shear, 76
 - mean, 85, 271
 - Mohr's circle, 74
 - normal, 59, 71
 - octahedral, 87
 - normal, 87
 - shear, 87
 - orthogonal principal directions, 68
 - Piola-Kirchhoff, 172
 - plane, 80
 - power, 178
 - principal
 - directions, 66
 - real values, 67
 - stresses, 66
 - values, 66
 - rate, 196
 - Green-Naghdi, 196
 - Jaumann, 196
 - second Piola-Kirchhoff, 174
 - shear, 59
 - magnitude, 72
 - spherical, 85, 252
 - symmetry, 61
 - tensor, 56
 - three dimensional stress function, 258
 - transformation, 63, 69
 - units, 59
 - vector, 55, 57, 66
- stretch
 - ratio, 131
 - tensor, 134
- summation convention, 8
- superposed rigid body motion, 189
- superposition principle, 223, 224
- symbolic notation, 5, 11
- temperature
 - reference, 252
- tensor, 5

- tensor products, 13
 - anti-symmetric, 17
 - Cartesian, 5
 - component, 7
 - curl, 38
 - definition of, 5
 - divergence, 38
 - field, 37
 - metric, 346
 - order, 6
 - physical components, 358
 - positive/negative definite, 37
 - product, 12
 - skew-symmetric, 17
 - spin, 138, 141
 - symmetric, 17
 - trace, 31
 - transformation, 25, 27
- thermodynamic state, 180
- thermoelasticity, 252
- thermomechanical continuum, 178
- thermoplastic elastomers, 285
- thermoset, 285
- traction vector, 55
- trajectory, 106
- transformation, 25
 - fourth-order tensor, 212
 - arbitrary Cartesian tensor, 28
 - improper orthogonal, 28
 - law, 27
 - orthogonality condition, 26
 - tensor, 25, 212
 - vectors, 25
- transport theorem, 168
- triple
 - cross product, 11, 15
 - scalar product, 11, 15
- undeformed configuration, 104
- unit
 - base vectors, 7
 - extension, 132
- vector, 6
 - dyad product, 13
 - tensor product, 24
 - tensor products, 13
 - addition, 11, 15
 - axial, 18, 44
 - axial or pseudo, 28
 - components, 7
 - curl, 38
 - divergence, 38
 - field, 37
 - multiplication, 11
 - physical components, 350
 - transformation, 25, 27
 - triangle rule, 6
 - true or polar, 28
- velocity, 106
 - field, 55, 104, 106
 - gradient, 137
 - head, 280
- viscoelastic, 309
 - absolute compliance, 323
 - complex
 - compliance, 320
 - modulus, 320
 - correspondence principle, 324, 327
 - creep function, 318
 - dashpot, 312
 - harmonic loading, 320
 - hereditary integral, 318, 323
 - Kelvin model, 313, 323
 - generalized, 315
 - linear
 - integral equations, 200
 - material, 199
 - linear differential operator, 310
 - loss
 - compliance, 322
 - modulus, 321
 - Maxwell model, 313, 323, 324
 - generalized, 315
 - mechanical models, 311
 - relaxation modulus, 320
 - retardation time, 316
 - shear compliance, 320
 - standard linear solid, 313
 - storage
 - compliance, 322
 - modulus, 321
 - superposition principle, 318
 - three-dimensional problems, 324
 - volumetric compliance, 320
- viscosity coefficients, 272
- viscous stress tensor, 271
- vorticity, 137, 283
 - tensor, 138, 141
 - vector, 141
- work, 179