

Index

A

AC bus bar 278
 AC commutator motor 42, 79, 85, 90, 92, 151, 252
 accumulator 200, 220, 250
 adhesion 45, 109, 218, 243, 249
 adhesion coefficient 45, 227, 231
 admissible tolerances of line voltage 114
 AGV 164, 165
 air-conditioning equipment 21
 air gap 64, 231, 244, 245
 air-gap power 94
 all-electric vehicle 228, 282
 APS 284
 arcing 79
 armature current 64, 67, 183
 armature quadrature-axis field 66
 armature winding 66, 70
 articulated train 209, 214, 237
 associations 26
 audio-frequency track circuit 297, 310
 authorities 26
 automatic field weakening 74, 211
 autotransformer , 309, 82, 273, 85
 autotransformer system 253, 273, 276
 auxiliary compressor 229
 auxiliary converter 154
 auxiliary inverter 194, 200
 auxiliary power demand 188
 auxiliary system 80, 200, 242
 average traveling time 49
 axle-counter 288
 axle-guide 31
 axle-hung drive 98

B

balanced three-phase current system 138
 balancing 271, 273, 278
 base frequency 104
 base speed 41, 99
 battery 196, 200, 220, 284
 bidirectional train 210
 black-start capability 264
 blocking voltage 118
 bogie 23, 31, 33, 42, 53, 59, 90, 97, 109, 114, 156, 159, 192, 197, 209, 214, 216, 231, 234, 243, 299
 bogie frame 31, 33, 54, 56, 57, 60
 bolster 33, 146

booster transformer 309
 bottom-coil side bar 65, 90
 brake
 air-brake control valve 226
 automatic air brake 226
 brake chopper 74, 124, 153, 194, 219
 brake contactor 141, 153
 brake deceleration 74, 218
 brake pipe 226
 brake resistor 69, 124, 141, 151, 152, 191, 195, 198, 242, 270
 braking 67, 72, 113, 141
 braking effort 74
 braking energy 279
 braking power 74
 braking resistor 74, 87
 compound brake resistor 74
 dead man's handle 229
 direct-acting air brake 227
 disc brake 60, 228
 dynamic brake 198
 emergency brake valve 227
 linear eddy-current brake 231
 magnet rail brake 218, 230
 main air reservoir 226
 regenerative braking 77, 100, 124, 153, 221
 robust fail-safe substitute brake 145
 spring-storage brake 228
 supersynchronous braking operation 96
 triple valve 226
 braking 139
 break-down angular frequency 95, 110
 break-down torque 104, 110, 153, 171, 175, 219, 326
 brush 66, 79, 92, 281

C

cancelling mass system 198
 cascade connection 97, 98
 catenary 90, 96, 163, 242, 243, 268, 273, 279, 285, 293, 303
 central mains 252, 253, 255, 256
 centrifugal acceleration 36
 characteristic wave impedance 303
 chording 90
 CITADIS 201, 216, 222, 285
 classification of traction vehicle types 52
 coating 46
 collector 65

- combined-cycle power station 255
- Combino 217
- commutation 17, 67, 79, 272, 289
- commutation failure 77
- commutation pole 67, 68, 72, 79
- commutation-pole resistive shunts 79
- commutation reactor 297
- commutator 17, 54, 65, 90
- commutator motor 41, 63, 90
- commutator segments 65, 79
- commuter 14, 196, 204, 245, 250, 283
- compatibility 307
- compensation 79, 272
- compensation winding 67, 80
- compensator 256
- concentric lap winding 91
- conductor rail 237, 283, 284, 285
- conduit 284
- conical running profile 29
- conicity 30
- contactless power transfer 285
- contact line 279, 303
- contactor 41, 67, 74, 99, 145, 168, 206, 240
- contact wire 309
- control 63, 85, 104, 314
 - converter flux 103
 - current balancing controller 333
 - dead-beat 326
 - Direct Field Orientation 317, 325, 344
 - Direct Self Control 103, 108, 155, 189, 321, 345
 - Dynamic Field Weakening 108, 324, 327
 - field-oriented control 107, 189, 247, 311, 316
 - flux-modulus controller 327
 - Flux Self Control 321
 - flux threshold 108, 322, 325
 - four-quadrant-converter control 115
 - hysteresis 108, 323
 - Indirect Field Orientation 318, 345
 - Indirect Stator-quantities Control 108, 325, 332, 345
 - instability 306
 - Luenberger Observer 333
 - Maximum Torque per Current 144
 - Maximum Torque per Flux 145
 - parasitic DC voltages 344
 - PI controller 107
 - pole-restraining control 116, 306
 - PRC 116, 306
 - rotating reference system 108
 - rotor-field-oriented control 108, 146, 316, 320
 - slip-frequency-stator-current characteristics control 105, 185, 186
 - speed observer 108
 - stator
 - stator-winding-fixed reference system 108
 - stator-fixed reference frame 321
 - stator-flux-oriented control 109, 321
 - two-level torque controller 323
 - U/fr-characteristic control with impulse encoder 104
 - U/fs-characteristic control 104
 - Vector Control 105, 108, 316
 - voltage control factor 327
- control trailer 52
- converter 249, 288, 303
 - Autosequential Current-Source Inverter 124, 208, 210, 291
 - auxiliary converter 25, 312
 - auxiliary thyristor 117
 - blocking-voltage-free commutation 118
 - clamp diodes 123
 - commutation capability 119, 189
 - commutation capacitor 117, 124, 125, 130
 - commutation control 119
 - commutation period 118
 - commutation reactor 117, 149
 - commutation thyristor 107, 117, 130
 - converter equivalent voltage 299
 - converter motor 169
 - crossed choppers 172
 - crowbar 119, 126, 132, 145, 242, 265
 - current-source inverter (CSI) 124
 - DC-link capacitor 121, 130
 - five-phase converter 134
 - force-commutated thyristor inverter 169, 186
 - forced-commutation circuit 117
 - gate unit 122, 131, 133
 - GTO inverter 171, 207, 208, 214
 - half-bridge 127, 260
 - H-bridge 260
 - IGBT inverter 121, 142, 200, 215, 219, 239, 249, 338
 - inverter 138, 246
 - inverter tripping 242
 - Marquardt-Undeland snubber circuit 120, 131, 132
 - McMurray snubber circuit 121, 131
 - Modular Multilevel Converter (MMC) 265, 266
 - Neutral-Point-Clamped (NPC) 123
 - phase building block 130, 131, 134
 - phase commutation 119, 126, 185

- Power Electronic Building Block 261
 - RCD-LRD snubber circuit 120
 - resonant commutation circuit 118
 - resonant converter 126, 128
 - seven-phase converter 134
 - snubber 120, 129, 132
 - step-down chopper 70, 290, 297
 - step-up chopper 72, 298
 - three-level inverter 122, 156, 174, 249, 250, 260
 - three-level NPC converter 135
 - thyristor inverter 90, 189
 - two-level inverter 101
 - two-quadrant chopper 199
 - two-quadrant converter 172, 265, 279
 - voltage-source inverter (VSI) 98, 101, 117, 185, 292
 - converter motor 139
 - cooling 128, 245
 - air cooling 83, 128, 133
 - cooling can 128, 129
 - cooling system 128
 - cooling tower 193
 - evaporation cooling 129, 131, 163, 189, 190, 241
 - Freon R113 129
 - immersed cooling 128
 - liquid cooling 128
 - mineral-oil cooling 129
 - oil can cooling 129, 130
 - oil cooling 83
 - radiator 129, 181
 - raw-water cooling 129
 - silicon oils or esters 129
 - thermal time constant 41
 - water cooling 129, 215, 219
 - water intermediate circuit 129
 - corridor arrangement 193
 - cost of investment 204
 - cost of transshipping 28
 - Coulomb friction 45
 - coupling 16, 284, 288, 307
 - coupling rod 33
 - current
 - 100-Hz line-current component 115
 - active current 95, 294
 - alternating current system 17
 - circulating current 85, 253, 256, 273
 - current phasor locus 94
 - distortion current 294, 295, 301
 - harmonic currents 111, 153, 189, 253, 265, 288, 290, 294, 295, 297, 321
 - interference current values 264
 - interharmonics 258
 - nonactive current 294
 - reactive current 256, 294
 - three-phase alternating current 17
 - current collector 279, 283, 284
 - collector head 280
 - contact strip 280, 281
 - lyra bow collector 209, 281
 - pantograph 37, 77, 96, 108, 163, 209, 211, 229, 242, 280, 281, 304
 - rod collector 204, 209, 281
 - single-arm pantograph 282
 - current coverage 91
 - current-divider reactor 85
 - Curtius/Kniffler 46
 - curvature-dependant body-tilting equipment 161
 - curve 30, 39, 46, 109, 209, 215, 249
- D**
- damper 31, 33, 97
 - damper winding 139, 255
 - DB II-Wear Profile 30
 - DC chopper 70, 141, 148, 210, 214, 221, 237, 250
 - DC-chopper 168, 210
 - DC commutator motor 64, 168, 169, 180, 181, 188
 - DC-link 101
 - DC-link capacitor 113, 118, 172, 306
 - DC-link circuit 195
 - DC-link converter 258
 - DC-link current 103, 139, 291, 311, 324
 - DC-link current harmonics 293
 - DC-link reactor 142, 249
 - DC-link voltage 102, 139, 171, 173, 175, 186, 188, 189, 249, 301
 - DC-link voltage control 116
 - DC-link voltage ripple 302, 311
 - DC railway 19, 276, 288
 - decentral supply 253, 274
 - deep-draft rods 44
 - demagnetisation characteristic 142
 - deregulation 15, 23, 156, 171
 - diesel
 - BBC Servo-Field Controller 183
 - diesel-electric locomotive 90, 109, 110, 179, 253
 - diesel-electric motor coach 194
 - diesel-electric power transmission 180
 - diesel engine 180, 181, 185, 193, 196, 200, 241

- diesel-hydraulic power transmission 180, 184
 - diesel locomotive 18
 - diesel traction 22
 - filling set valve 183
 - Last Mile Diesel 198
 - Multi-Engine Concept 193
 - shell diagram 182
 - squeezing of diesel-engine speed 183
 - throttle position 183, 186
 - difference speed 45, 47
 - diode rectifier 75, 141, 153, 168, 195, 222, 241, 277
 - direct current 19
 - DMU 159
 - double-deck car 209
 - double-deck train 166, 208
 - double-layer capacitor 222, 242, 279
 - double-star motor 141, 173
 - doubly-articulated train 209, 211
 - D-Power Package 192
 - drawbar 42
 - drive
 - AEG-Kleinow helical spring-coil drive 57
 - Alsthom Hollow Shaft drive 57
 - axle-hung drive 55, 56, 157, 204, 209
 - axle-riding drive 60
 - BBC spring drive 57, 80
 - bevel gear 62, 162, 181, 216, 217, 218
 - big cogwheel 55, 58
 - bipolar motor drive 54
 - bogie-mounted drive motor 57
 - cardan hollow shaft 58, 146
 - cardan hollow-shaft drive with rubber-jointed coupling rods 57, 58, 153, 159, 214
 - cardan shaft 35, 53, 162, 181, 200, 216
 - coupling rod 32, 55, 58
 - curved-tooth coupling 60
 - dancing ring 57
 - drive wheelset 52, 54
 - DÜWAG twin-axle longitudinal drive 62
 - electric drive chain 180
 - gear-centre distance 55
 - gearless drive 54, 146, 214
 - high-performance drive with brake shaft 60, 157
 - hollow pinion 60
 - hollow shaft 35, 56, 57, 228
 - hydraulic drive chain 180
 - inclined driving rods 55
 - individual wheelset drive 46
 - Integrated Aggregate Drive 59, 155
 - intermediate driving axle 55
 - intermediate gear wheel 60
 - INTRA drive 146
 - Monomoteur drive 61, 62, 141, 148, 169
 - parallel-crank drive 32, 55
 - pin-and-nose drive 55
 - pinion 55
 - primary gear transmission 55
 - quill drive 58, 59
 - rubber-jointed coupling rod 58
 - single-wheelset drive 32, 53, 55, 192
 - SSW rubber circular-spring drive 56, 80
 - switchable spur-gear 61
 - SYNTEGRA drive 146
 - two-axle longitudinal drive 209, 210, 214
 - unsprung mass 54, 55
 - Westinghouse drive 57, 80
 - Winterthur drive 55
 - DSP 108, 324
 - dual-frequency locomotive 157, 198
 - dual-layer three-phase winding 90
 - dual mode 198, 201
 - dual-mode operation 195
 - dual-mode shunting locomotive 198, 222
 - dual-mode traction vehicle 196
 - dual-system 141
 - dual-system Light Rapid Transit vehicle 211
 - dual-system locomotive 168, 174
- E**
- economical continuous speed 97
 - eddy current 104, 245, 339
 - efficiency 23, 69, 99, 104, 110, 128
 - electric railcar 17
 - electric railway 19
 - electrification 18, 21, 22, 75, 79, 168, 253, 268, 270, 276, 283
 - Electro-Dynamic Levitation 245
 - Electro-Magnetic Levitation 244
 - electro-pneumatic wheelset balance 44, 151
 - emission 303
 - EMU 159, 205
 - energy consumption 22
 - energy recovery 22
 - ENUBA 242
 - E-PowerPackage 134, 193
 - EuroSprinter 131
 - excitation winding 64, 141
 - exciter current 64
 - exterior starting resistors 97

F

feeder line 273
 feeding section 269, 271
 field weakening 41, 67, 74, 102, 107, 108, 242, 333
 field-weakening region 99, 321
 field-weakening shunt 69
 flange 191, 234
 flash-over 67
 Flexicoil 31, 33, 56, 60, 214
 FLEXITY 215, 218, 286
 flicker 273
 FLIRT 177, 208
 flux linkage 66, 68, 79
 flywheel 223
 flywheel energy storage 195
 force-commutation circuit 70, 141
 four-quadrant converter 111, 114, 127, 131, 153, 157, 164, 171, 174, 177, 197, 199, 211, 258, 260, 264, 265, 298, 302, 306, 311
 four-system locomotive 134, 169
 free-wheeling diode 70, 74
 friction 15, 47
 fundamental frequency 101
 fundamental-wave ECD 315

G

gauge 15, 16, 28
 Cape Gauge 28, 275
 metre gauge 28, 210
 narrow gauge 16, 28
 standard gauge 16, 28, 205, 210, 280
 generator 138, 196, 223, 241, 306
 auxiliary generator 183, 188, 189
 brushless excitation 183
 counter-rotating inductor part 184
 DC generator 181
 generator dimensioning 187
 heating generator 181
 induction generator 197
 synchronous generator 181, 198, 256, 293
 tacho generator 183
 gradient 40, 45, 160, 249
 group supply of motors 109, 142, 156
 GTO thyristor 70, 90, 107, 114, 120, 124, 128, 131, 141, 155, 171, 189, 190, 249, 250, 256, 258, 262, 314
 guidance 14, 15, 29, 234, 243, 250

H

“half-voltage motor” 68
 half-voltage motor 276
 Hard-Drive technology 258
 haul truck 241
 H-Bahn 237
 Head-End Power 21, 197
 heating 21, 198
 Heyland Circular Diagram 94
 high-power locomotive 90, 111, 141, 149, 151
 high-speed line 40, 160, 163, 253, 260, 273
 high-speed train 14, 18, 21, 35, 52, 90, 159, 160, 163, 231, 320
 high-voltage tap-changer control 82, 87
 high-voltage tap-changer switch gear 75, 85, 152
 hold-off time 118
 Höllental 17, 98, 288, 303
 hunting 198
 HV connection cable 163
 hybrid 200, 223, 242
 hydrodynamic (Föttinger) converter 180
 hydroelectric plant 253

I

ICE 1 130, 131, 159, 163, 228, 320
 ICE 2 52, 131, 162
 ICE 3 18, 60, 161, 163, 172, 231, 249, 250
 ICE T 161, 162
 ICE TD 194, 230
 ICx 162
 IGBT 70, 90, 101, 107, 121, 128, 133, 175, 176, 219, 314
 IGCT 258, 264
 Ignitron 76, 168, 268
 impulse encoder 104, 139
 induction 64, 81
 induction motor 89, 90, 96, 98, 101, 124, 142, 152, 171, 180, 185, 200, 217, 241, 256
 input filter 72, 175, 289
 inrush 82, 311
 insulating joint 309
 insulation gap 96
 insulation level 175
 interaction of vehicles with four-quadrant converters 306
 interior magnets 143, 146
 inverter circuit and construction technology 117
 iron losses 66
 islanding 264
 italo 165

J

Jakobs' bogie 159, 164, 208, 209, 218

K

Kando system 97
Klingel's oscillations 30, 243
Kloss Formula 95

L

Last Mile Battery 199
lateral suspension 31
lead-acid accumulator 199, 220, 222
leakage inductivity 79, 93, 95, 98, 104, 111, 175, 176, 321
leasing of rolling stock 24
lemniscatic guidance 31
length of exposed section 308
lengths of system network 20
LEW AC controller 87, 151
Light Rail System 15, 205, 209
Light Rapid Transit 15, 204, 209, 210, 211, 218, 222
linear motor 244
 linear generator 250
 linear synchronous long-stator motor 246
 short-stator induction motor 246
line-commutated converter
 AC-side sequential control 150, 297
 bridge in fully-controllable connection 77
 control angle margin 77
 cycloconverter 125, 181, 256, 258
 mercury-vapour rectifier 17, 277
 phase-angle control 77, 111, 148, 293, 306
 phase-control rectifier 75
 quenchable half-controllable bridge (LUB) 77, 296
 quenching-angle control 77
 sequential control 76, 77, 168, 296
 two-pulse bridge in half-controllable connection of pairs of arms with sequential phase control 76, 111, 141, 148, 294, 296, 297
line filter 141, 155
line frequency 80
line interference 115, 150, 273, 287
LIREX 128, 195, 223
load-commutated converter 139
load transfer 42, 109, 110, 151, 301
longitudinal coupling 270
low-floor 201, 213
 70% low-floor tram 62, 214
 100% low-floor tram 214

 low-floor articulated trolley bus 239
 low-floor technology 209
 low-floor tram 213, 219
 Ultra Low Floor (ULF) 218
low force attack point 44
low-frequency instability 306
low-frequent signaling interference 302
low-frequent subharmonics 103
low-voltage tap-changer control 82, 85

M

machine model 108, 333
magnetic field 64, 244, 278
magnetic levitation (MagLev) 243
magnetic pole 64
magnetising current 94, 105, 311
magnetising inductivity 94
main circuit breaker 84, 154, 269, 276
 DC high-speed circuit breaker 85
 high-speed air-blast circuit breaker 84
 magnetic blast 85
 vacuum breaker 84, 85, 247
 voltage disconnection 84, 85
manufacturer 24, 25
mass transit 14, 205, 208
Metro 205, 234, 256
mid-point 102, 118, 123
minimum fuel consumption 180, 187
MITRAC 166
mixed excitation 44, 67, 68
modular cabin suspension railway 237
modularisation 129
modulation
 duty cycle 70, 102, 111
 interleaving 291, 299
 overmodulation 335
 pulse number 299
 Pulse Width Modulation (PWM) 70, 102, 107, 115, 185, 311, 345
 quasi-synchronous pulse pattern 103
 Space-Vector Modulation 102
 square-wave (block) modulation 101, 104, 107, 249, 258, 293, 333
 switching ratio 103
 Symmetrised Modulation 102, 103, 335
 synchronous pulse patterns 103, 104, 321
 Three-Phase Reference Source 107
 unipolar switching 115, 299
 voltage pattern 103
moment of inertia 31, 33, 60, 61, 146, 281
motor coach 52, 83, 90, 159, 200, 221, 222, 284

motor headcar 52, 141
 motor series reactor 154
 motor star voltage 102
 movable frogs 211
 multiple-unit control 159, 205
 multiple unit (MU) 52, 204
 multi-system locomotive 193, 283, 311
 multi-system traction vehicle 161, 167

N

negative-sequence rotary field 255
 negative-sequence system 269
 neutral zone 64, 67, 79
 nonpositive link 45
 normalised inductive short-circuit voltage drop
 114, 299
 number of parallel branches 66
 number of pole pairs 64, 79, 97
 number of thermal cycles 122
 numbers of pole pairs 68

O

ohmic commutation-pole shunt 17
 oscillation 243, 279, 306
 overhead conductor rail 280
 overhead line 16, 18, 21, 75, 80, 84, 196,
 276, 279, 288, 303
 oversize factor 188
 overvoltage protection chopper module 131

P

passenger-flow system 209
 Pendolino 36, 162
 people mover 15, 21, 235
 permanent-magnet synchronous generator 195,
 201
 permanent-magnet synchronous motor 142,
 164, 165, 166, 223, 242
 phase separation 269, 273
 phase-shifting capacitor 296
 phase-shifting operation 264
 phasor 93, 111
 pivot 33, 34, 44, 214
 plastic-moulded module 122
 platform (station) 208, 213, 235, 284
 platform strategy 23, 60, 157, 161, 192, 193,
 198
 point of common coupling 269, 273, 288
 pole 91
 pole pitch 64, 65, 66, 90, 247
 pole-pitch factor 54

pole shoe 54, 64, 67
 positive fit 45
 positive-sequence system 269, 273
 power
 active power 95, 113, 264
 apparent power 113, 295
 fundamental displacement factor 77, 295,
 296
 fundamental factor 295
 magnetising power 247
 nominal power 41, 67, 198, 256
 nominal short-circuit power 269
 point of constant power 99, 187
 power at maximal speed 99, 171, 175
 power factor 111, 295, 296
 power-to-mass ratio 16, 90, 122
 reactive power 77, 113, 141, 258, 264,
 271, 273, 285
 power-electronic control 207, 253, 290, 293, 307
 power-electronic medium-frequency transformer
 125
 Power-Electronic Traction Transformer 128
 power-frequency control 253, 256, 264
 power headcar 52, 159, 163, 171
 power supply 251, 270, 293
 power transmission 33, 54
 pressure-contact IGBT 122, 261
 pressurised rubber-tyre wheel 234
 PRIMA 157, 158, 194
 PRIMOVE 285
 propagation constant 303
 psophometric interference current 303, 308
 psophometric weighting 264, 289, 299, 308
 pumped-storage plant 253, 255
 push-pull train 52

R

radar slip control 47
 radially-steered single-wheel trailing running
 gear (EEF) 214
 rail car 52
 rail-guidance 28
 railway 14
 Alweg railway 236
 Eisenbahn-Bundesamt 26
 European railway industry 23
 industrial railway 15, 279
 interurban 205, 209
 long-distance railway 79
 mining railway 15, 29
 minor railway 28
 public-service railways 15
 rack railway 40, 45

railway infrastructure company 15, 156, 268
 railway product market 24
 railway transport company 15, 23, 156, 165
 Stadtbahn 15, 210
 suburban railway 15, 203
 trackless railway 239
 underground railway 15, 204, 289
 railway power-supply converter 258, 262, 264
 railway power-supply system 19, 171
 rail-wheel system 14, 234, 243
 rare-earth magnetic materials 142, 146
 recovery time 70, 118
 rectifier 277, 288, 289
 rectifier overlap 289
 recuperation 23, 74, 87, 223, 240, 256, 269,
 270, 278, 294
 reinforcement line 273
 repulsion motor 80
 resilient wheel 62
 resistance
 acceleration resistance 40
 allowance for rotating masses 40, 146
 curve resistance 39
 gradient resistance 40
 rolling resistance 38, 159
 running resistance 33
 train resistance 38, 199, 243, 245
 resonance 301, 304
 resonance frequency 30, 72, 118, 127, 198,
 280, 308
 resonance impedance 118
 resonantly-earthed system 253
 resonant quality 119
 resonant-tank capacitor 135
 resonant-tank-circuit capacitor 131, 133, 153,
 155, 175, 258, 266, 296, 306
 resonant-tank reactor 81
 return current 278, 288, 309
 rolling stock 24
 rotary converter 97, 98, 253, 256, 274, 277, 307
 rotary energy storage 223, 279
 rotating field 90, 93, 138, 269
 rotor 64, 68, 92, 138, 183
 drum-type rotor pattern 64
 dual-layer winding 65
 loop winding 66
 rotor bar 65, 99, 104, 110, 339
 rotor lamination 65
 rotor winding resistance 93
 slip-ring rotor 92
 squirrel-cage rotor 223
 squirrel-cage winding 92
 running gear 51

S

saturation 66
 screw spring 31
 secondary suspension 33, 56
 section-change methods 248
 separate excitation (Sepex) 67, 148
 series compensation 256
 series-parallel regrouping 69, 168
 series resistor control 69
 series-resonant circuit 113
 series-wound commutator motor 17, 67, 80
 shaft power 94
 Shin Kansen 18, 159
 short-circuit ring 92
 short-circuit time constant 102, 107
 shunting 67
 shunting locomotive 99, 104, 110, 128, 130,
 185, 200, 222
 side-band frequencies 293
 Simplon Tunnel 83, 90, 129
 simulated series motor 67, 150
 single-phase alternating current 19, 20
 single-phase generator 255
 single-phase load 255, 269
 single-wheel running gear 213, 214, 217
 single-wire system 276
 sinusoidal running 30, 198
 SITRAS SFC 268
 Sky-Train 237
 slip 30, 39, 45, 67, 93, 269
 slip-and-slide control 45
 slip-frequent supply 256
 slip rings 92, 97, 138
 slot 65, 91, 247, 250
 smoothing reactor 71, 77, 111, 124, 139, 173,
 258, 290, 297
 solid-state contactor 284
 space vector 314
 spectra 298, 299, 300, 311
 speed 41, 49, 79
 speed-torque characteristic 67
 split-phase motor 98
 spring suspension 31, 54, 55
 squirrel-cage induction motor 17, 90
 star-delta re-grouping 175
 starting resistor 95, 98
 static converter 254, 255, 258, 307
 station service demand 256
 stator 64, 68, 90, 138, 215
 stator frequency 93, 249
 stator winding 92, 247
 stator-winding resistance 94
 Steinmetz 271, 272

- stray current 278, 284
 - striking angle 33, 35, 39
 - substation 247, 253, 256, 258, 260, 268, 269, 270, 273, 278, 289, 306
 - substation rectifier 74
 - subterranean power feed 284
 - superconductive coil 245
 - superelevation 36, 249
 - supply frequency 252
 - support 243, 250
 - surface-mounted magnets 143, 165, 195
 - surface roughness 46
 - suspension railway 236
 - switching frequency 70, 72, 101, 103, 108, 111, 122, 177, 260, 295, 324
 - switching loss 122
 - Synchrone Bicourant (SYBIC) 141, 169
 - synchronous displacement angle 139
 - synchronously induced voltage 138, 187, 195
 - synchronous motor 90, 98, 124, 137, 141, 163, 256
 - synchronous reactance 138, 187
 - synchronous speed 97
- T**
- TALGO 25, 162
 - Tatra/CKD car 210
 - TAURUS 34, 60, 131, 157
 - telephone harmonic form factor 289
 - TGV 18, 142, 163
 - TGV-A 141, 163
 - Thalys 141, 163
 - thermal power station 253, 255
 - third rail 196, 205
 - three-phase current 19
 - three-phase drive 57, 111, 185
 - three-phase drive technology 18, 34, 78, 152, 157, 171, 211, 213, 239, 241, 270, 295
 - three-phase motor 41
 - three-phase three-conductor railway system 21
 - three-phase winding 91, 92, 138, 141
 - three-system locomotive 158, 168
 - three-wire system 21, 276
 - threshold voltage 118
 - thyristor 70, 85, 117, 268, 294, 296
 - thyristor AC controller 87
 - thyristor-controlled reactor 272
 - thyristor load switch 86
 - tilting 36, 194, 236, 249
 - active tilting technology 37
 - cant deficiency 36
 - passive tilting technology 37
 - rotating pole 37
 - sway compensation 37
 - time-variant voltage ratio 112, 264
 - top-coil side bar 65, 90
 - torque 66, 80, 103, 105, 139, 186, 322
 - break-down torque 95
 - starting torque 96
 - torque control 47, 215
 - torque equation 99
 - torque oscillation 269
 - torque pulsation 80, 141
 - torque ripple 324
 - touch voltage 278
 - track 234
 - track circuit 77, 82, 231, 288, 307, 309
 - tractive effort 41, 186, 198, 234
 - tractive-effort vs. speed diagram 41
 - trailer 52, 205, 209, 221
 - train line 21, 127, 154, 181, 190
 - train safety system 171
 - tram train 201, 211
 - tramway 15, 62, 204, 209, 218, 279, 284, 289
 - Trans-Bay HVDC Plus 266
 - transformer 41, 60, 75, 80, 87, 111, 125, 128, 135, 151, 154, 161, 164, 168, 177, 198, 213, 249, 254, 256, 260, 262, 265, 268, 274, 299
 - Buchholz relay 83
 - common-mode transformer 309
 - core transformer 81
 - cylindrical winding 82
 - disc winding 82
 - double-tier transformer 258
 - high-temperature superconducting material 83
 - precision regulator 85
 - radially sheeted shell-type transformer 81
 - Roebel-type winding 154
 - shell-type transformer 81
 - stranded conductors 154
 - sulphure hexafluoride gas cooling 83
 - tap-changer 75, 85, 205, 222
 - tertiary winding 155, 301
 - transformer winding resistance 113
 - transformer e.m.f. 79
 - transmission 110 kV 253
 - TRANSRAPID 244, 249, 250, 321
 - transversal slip 46
 - traveling time loss 49
 - TRAXX 157, 175, 192, 198
 - trolley bus 133, 239
 - TUD wheel-creep control 48
 - tunnel 39, 161, 205, 280, 283
 - turn loop 210, 240
 - TVR 241

TwinDEXX 166, 208

two-phase motor block relay 309

U

unbalance 269, 273

undulating-current motor 75, 169, 207, 297

unidirectional train 210

universal locomotive 18, 42, 100, 148

V

VAL 235

Variotram 214, 217

VECTRON 60, 157, 194

Velaro 161

voltage control 99

voltage control factor 70, 72, 291

voltage drop 279, 295

voltage harmonics 114, 289, 293, 298

voltage quality 288

W

wave propagation 279

wear 22, 30, 35, 62, 69, 76, 79, 80, 85, 243

flange wear 109

wheel arrangement 52

wheel base 33, 42, 61, 209, 235

wheel contact point 42

wheel-creep control 47

wheel-diameter difference 109, 111, 191

wheel profile 30, 211

wheelset 15, 29, 32, 42, 45, 46, 109, 181

radially-steering single-wheelset running
gears (KERF) 195, 207

self-steering wheelset 35, 191

wheelset load 29, 159, 162, 243

wheel tyre 243

wheel-tyre conditioning 228

wheel-tyre wear 30, 99, 109, 142, 159, 213

winding insulation 122

wing-train concept 160

Y

yoke 64, 81

Z

zero-sequence system 102

zig-zag 280, 283