

SUBJECT INDEX

- Adiabatic conditions, 80
Angle of internal friction, 126
Anisotropic elasticity, 84
Approach, 607
Autofrettage, 405
Axially loaded members, 1
Axial strain, 2
Axial stress, 2
Axis:
 of bending, 264
 neutral, 266, 267, 274, 275
 principal, 32
 moments of inertia, 266, 665
 strain, 55, 60
 stress, 30, 32
 of twist in torsion, 3, 200
Bauschinger effect, 106, 246
Beams,
 bending, 3, 263
 displacement, 4
 shear stress, 4
 stress, 4, 272
 curved, 319
 Bleich's correction factors, 338, 340
 circumferential stress, 320, 322
 correction of, 338
 deflections, 343
 fully plastic load, 350
 vs. elastic load, 351
 neutral axis of cross section, 326
 radial stresses in, 333
 anisotropic materials, 334
 strain energy density, 344, 345
 statically indeterminate, 348
 on elastic foundations, 357
 boundary conditions for, 360
 on equally spaced elastic supports, 364
 finite length beam, 361
 general solution, 357
 table of coefficients for, 362
 infinitely long, 358
 subject to concentrated load, 360
 subject to distributed load, 369
 subject to triangular load, 371
 semiinfinite, 374, 376
 loaded at end, 374
 loaded near end, 376
 short, 377
 figure of solutions for, 379
 thin-wall circular cylinder, 378, 380
 flexure formula, 158, 265–267
 straight,
 bending axis, 264, 266, 267
 deflection, 280, 281
 flexure stress, 158, 266, 267, 275
 geometry of deformation, 280, 281
 inclined load effects, 284
 load–stress relation, 273
 nonsymmetrical bending, 268, 272
 unsuitable cantilever, 284
 plane of load(s), 263, 268
 Bending, pure, 6
 axis of beams, 264, 266, 267
 deflections, 280, 281
 load–stress relation, 273
 nonsymmetrical, 268, 272
 fully plastic load (moment), 285, 286
 plane of loads, 263, 268
 stresses, 272
 symmetrical, 265, 267
 an unsuitable cantilever, 284
Binomial expansion, 435
Boundary conditions,
 beams on elastic foundations, 360
 essential, 438
 forced, 80, 437, 475
 geometric, 438
 kinematic, 438
 natural, 437, 438, 475
 torsion, 211
Brittle materials, 15
Bulk modulus, 87, 120
Buckling of columns, *see* Columns
Castigliano's first theorem, 149
Castigliano's second theorem (on deflections), 152, 164, 343
 linear load–deflection relations, 155
Coaxing, 571
Cohesion, 126
Columns,
 boundary conditions, 437, 438
 buckling load, 19, 424
 critical load, 424
 deflection response, 425
 effective length, 438
 factor, 438, 439
 empirical column formulas, 446, 447
 Euler's formula, 426, 428
 eigenproblem formulation, 430
 energy method, 443
 equilibrium method, 428
 for general end conditions, 436, 437
 higher buckling modes, 430, 431
 imperfection method, 432
 ideal,
 definition of, 425
 elastic buckling of, 425, 426
 imperfect, 427
 inelastic buckling, 442
 direct tangent-modulus method, 443, 444, 446
 double-modulus method, 443, 444
 Engesser's formula, 444, 445
 tangent-modulus method, 444, 445
 jamming, 425
 large deflections, 426
 load-deflection curves, 425
 local buckling, 440, 441
 slenderness ratio, 426, 427
Compatibility relations, 5, 62, 63, 391, 392
Complementary energy, principle of, 152

- Conservative system, 148
- Constitutive relations, 5, 7, 8, 71, 79, 84, 91, 93, 108
- Contact stresses, 589, 590
- approach, 607
 - assumptions, 591
 - computation of, 598
 - friction, effect of, 616, 618
 - geometry of contact surface, 591
 - shape after loading, 592
 - line contact between bodies, 611, 613, 619
 - with friction, 613, 619
 - without friction, 611, 619
 - notation for, 596, 597
 - octahedral shear stress, maximum, 599, 600, 603, 613, 617
 - orthogonal shear stress, maximum, 599, 600, 603
 - point of contact, 592, 606
 - deflections at, 606, 607
 - principal stresses, 590, 597, 598, 600, 613, 616
 - roller on plane, 614
 - shear stress, maximum, 599, 600, 613, 617
 - range of, 619
 - table of values of, 620
- Continuum mechanics, method of, 7
- Coordinates,
- cylindrical, 52
 - elliptic, 509
 - generalized, 147
 - orthogonal curvilinear, 52, 457
 - polar, 53
 - spherical, 53
- Corrosion fatigue, 568, 575, 576
- Cracks, *see also* Fracture and Fracture mechanics
- atomic model of, 506
 - blunt, 553
 - elastic stress at tip, 553
 - critical length, 558
 - extension force, 556
 - critical value of, 558
 - growth analysis, 562
 - propagation of, 555
 - sharp, 554
 - elastic stress at tip of, 555
 - stationary, 551
 - surface displacement of Modes I, II, III, 545
- Creep,
- aging (time) models, 636
 - application to metals, 649
 - definition, 624
 - equation of state approach, 639
 - failure, 624
 - formulas for uniaxial stress, 626, 627
 - constant stress and temperature, 626
 - table of, 630, 631
 - variable stress and temperature, 631, 635 - multiaxial stress, 640, 641
 - flow rule, 643, 647
 - for nonsteady creep, 648
 - for steady-state creep, 644
 - theory of inelasticity for creep, 643 - nonmetals, 650
 - asphalt, 650
 - concrete, 651
 - wood, 652 - rate, 627, 633, 635, 643
 - recovery, 627
 - relaxation, 627
 - rheological models, 652
 - specific creep, 652
 - steady-state, 632, 633, 636
 - models, 635 - strain-hardening models, 637
 - tension test, 631
 - constant load, 631
 - constant stress, 631
 - time-hardening models, 636
- Creep curves (strain–time plots), 624, 625, 628, 634
- isochronous, 633
 - similarity of, 633
 - three ranges of, 625, 626
- Cubical strain, 86
- Curved beams, *see* Beams, curved
- Cylinders, thick-wall, 389
- autofrettage, 405
 - basic relations, 389
 - of brittle materials, 399
 - compatibility condition, 391
 - composite, 401–403
 - criteria of failure, 399
 - displacements, radial, 395, 396
 - for closed ends, 395
 - for open ends, 396 - of ductile materials, 400
 - equations of equilibrium, 391
 - fully plastic pressure, 405
 - material response data, 392, 400
 - shrink fit, 398
 - strain–displacement relations, 391
 - stress components for, 391, 392, 394, 395
 - closed ends, 392
 - open ends, 394 - solutions for steady-state temperature distribution, 410
 - stress–strain–temperature relations, 392
 - Tresca material, 406
 - von Mises material, 406
- Deflections,
- beams,
 - curved, 165, 361
 - straight, nonsymmetrical bending, 280, 281 - by energy methods, 7
 - statically determinate structures, 163
 - statically indeterminate structures, 163, 180
- Deformation,
- beam bending, 273
 - of deformable body, 50, 54
 - geometry of, 273
- Design,
- inequality, 17
 - limits on, 16
 - modes of, 16
- Direction cosines, table of, 31
- Dislocations, 21
- Divergence theorem, 81
- Ductile materials, 104
- Dummy load method, 170, 171
- Dummy unit load method, 170, 171
- Eigenvalue problem, 33
- Elastic coefficients, *see* Material properties
- Elastic limit, *see* Material properties
- Elastic membrane method, 216, 217, 228
- Elastic response, 8
- Ellipsoidal cavity, 512
- Elliptical hole, 508, 511, 516, 517, 552
- Elliptic integrals, 597
- Elongation, 2
- percent, 11
- Endurance limit, 569
- Energy, strain, *see* Strain energy
- Equations of equilibrium, 5, 272
- Equations of motion, 5, 50
- of a deformable body, 50
- Euler's buckling formula, 426, 428

- Factors of safety, 17
- Failure, 16
- of columns, 22
 - buckling, 19
 - creep, 624
 - excessive deflection, 19, 20
 - fatigue, 19, 22
 - fracture, 19, 21
 - general yielding, 20
 - modes, 19
 - plastic deformation, 19
- Failure criteria, 16
- Fatigue, 567
- coaxing, 571
 - corrosion, 568, 575, 576
 - cross-over number of cycles, 582
 - $\epsilon-N$ relation, 580, 581
 - effects of mean stress, 572
 - effects of stress range, 577
 - endurance limit, 569
 - fatigue life design, 580, 581
 - hysteresis loop, 580
 - low-cycle, 568, 580–584
 - $\sigma-N$ ($S-N$) diagrams, 569
 - strain-controlled testing, 580
 - strain-life curves, 583
 - strength, 22
- Finite difference method for the torsion problem, 241, 242
- Flat plates, *see* Plates, flat
- Flexure formula, 158, 266, 267, 275
- Flow rule, 113
- Forces,
- body, 27
 - external, 80
 - normal, 25
 - shear, 26
 - vectorial summation of, 29
- Fourier heat equation, 409
- Fourier series, 434
- Fracture mechanics, 543
- brittle fracture, 545
 - crack-growth analysis, 562
 - design of test specimens, 547, 549, 558
 - elastic-plastic, 562
 - fracture toughness, K_{IC} , 547
 - table of values, 548
 - linear elastic, 561, 569
 - load spectra, 562
 - notch toughness, 544
 - stationary crack, 551
 - stress history, 562
- stress intensity factor, K_I , 546
 - critical, 546, 548
 - definition of, 546, 547
 - table of, 550
 - testing, 547
 - specimen design, 547, 549, 558
- Gages, strain, 70
- Gerber relation, 572, 573
- Goodman relation, 572, 573
- Green strain, 55
- components, 56
 - total, 56
- Haigh-Westergaard stress space, 114
- Hardening rule, 113
- Hooke's Law, 84
- anisotropic elasticity, 84
 - isotropic elasticity, 84, 85
 - orthotropic elasticity, 93
- Hydrostatic stress, 34
- Inelastic response, 8, 104
- Instability, structural, 22
- Internal energy,
- density, 79, 81
 - complementary, 79, 82, 83
 - elastic, 81
 - variation of, 81
- Invariants,
- strain, 61, 86
 - stress, 33, 86, 120
- J_2 materials, 122
- Kirchhoff shear, 476
- Kirchhoff approximation, plates, 462, 463
- Lamé's elastic coefficients, 86, 87
- Limit states, 18
- design, 16, 18
- Load-deflection relations, 5
- Load factors, 18
- Load-stress relations, 5
- Magnification factor, 56
- Material properties, 10
- elastic coefficients, 11, 13, 84, 87
 - elastic limit, 10
 - homogeneous, 85
 - isotropic, 85
 - yield strength, 11
 - tables of, 658, 659
- Mechanics of materials method, 6
- review, 1
- Membrane analogy (Prandtl), 216, 217, 228
- Methods of analysis, 5
- Metric coefficients, 52
- Modulus,
- of elasticity, 11
 - of resilience, 12
 - of rupture, 13, 134
 - of toughness, 13
- Mohr's circle, 40, 41
- three-dimensional, 43
 - two-dimensional (plane), 40, 41
- Moment-curvature relations, plates, 470, 471
- Moments of plane area, second, 266, 660
- common areas, 661, 662
 - parallel axis theorem for, 661
 - polar moment of inertia, 660, 661
 - principal axes for, 266, 665
 - transformation equations for, 664
- Motion, equations of, 5, 50
- Multi-axial stress state, 106
- Multiply-connected cross section, 218, 230
- Necking, 13
- Nonlinear material response, 107
- Notch sensitivity index, 531–536
- Notch toughness, 544
- Octahedral,
- plane, 37
 - stress, 36
 - normal, 36
 - shear, 36
- Orthotropic materials, 93
- axes for, 93
 - coefficients for, 93
 - Poisson's ratios, 94
 - stress-strain relations, 94
- Parallel axis theorem, 661
- Paths, loading and unloading, 109
- Plane, stress, *see* Stress, plane
- Plane of loads, 263
- effect of small inclination of, 284
- Plane, principal, 32
- Plastic load, 130
- Plastic moment, 130
- Plasticity, 104, 107, 113

- Plastic moments for beam cross sections, 132
- Plates, flat, 457
 boundary conditions, 457, 473
 forced, 475
 natural, 475
 circular,
 clamped (fixed) edges, 488
 with circular hole, 489
 large deflections, 492, 496, 497
 simply-supported edges, 488
 solution for, 486, 488–491, 493
 table of solutions for, 491, 493
 classification of, 457
 differential equation for, 476
 displacement components, 462
 equilibrium equations, 466–468
 flexural rigidity of, 470
 general theory, 466
 kinematic relations, 461
 Kirchhoff approximation, 462, 463
 Kirchhoff shear in, 476
 Levy method, 477
 membrane stiffening, 492, 493, 497
 moment–curvature relation, 470, 471
 Navier method, 477, 500
 pure bending, 472
 rectangular,
 clamped (fixed) edges, 481
 deflections, 482
 large deflections, 498
 other type edges, 482
 simply supported edges, 480
 solution for, 477, 479–483
 table of solutions for, 483
 rotation of surface element, 464
 small displacement rotation of a volume element, 464, 465
 strain–displacement relations, 461
 strain energy of, 472
 bending, 472
 membrane, 472
 stress components, 472
 stress resultants, 460, 461
 stress–strain–temperature relations, 469
 tractions, 459
 transverse shears, 460
 twisting moments, 460, 461
- Poisson's ratio, 13, 87
- Prandtl membrane analogy, 216, 217, 228
- Prandtl stress function, 216, 217, 228
- Principle planes, 32
- Principal axes, 32
 of moments of inertia, 266, 665
 of strain, 55, 60
 of stress, 30, 32
- Principal stresses, 32
- Product of inertia of plane area, 664
- Progressive fracture, *see* Fatigue
- Proportional limit, 10
- Pure bending, 6
- π -plane, 122, 123
- Rayleigh's method, 434
- Redundant member, 177
- Redundant reaction, 177
- Reentrant corners, torsion, 219
- Reliability concepts, 17
- Resilience, modulus of, 12
- Resistance, 17
 factors, 18
- Review of elementary mechanics of materials, 1
- Rigid-perfectly plastic material, 15
- Rotating disks, 411
 plastic deformation, 415
 residual stresses, 417, 418
- Rupture, modulus of, 13
- S - N (σ - N) diagrams, *see* Fatigue
- Safety, factor of, 17
- Saint-Venant principle, 203
- Sand heap analogy, 251
- Section modulus, 130
 elastic, 130, 268
 plastic, 130
- Semi-inverse method, 209
- Shear center, 263, 265
 axis of antisymmetry, 265
 axis of symmetry, 265
 beam with thin-wall, 295
 channel section, 298
 box beams, 306
 composite beams, 303
 definition of, 264
 table for, 300
- Shear correction coefficient, 159, 160, 345
- Shear flow, 229, 296
 cut, 307
 in torsion, 229
- Shear stress at yield, 118, 119, 121
- σ - N (S - N) diagrams, *see* Fatigue
- Simply connected cross section, 218
- Soap-film analogy, 216, 228
- Soderberg relation, 572, 573
- Stationary potential energy, 147, 148
- Steel cross sections, properties of, 668–671
- Strain,
 compatibility relations of, 62, 63
 cubical, 86
 elastic, 11
 engineering, 55, 62
 extensional, 60, 62
 gages, 70
 Green strain, 55
 components, 56
 total, 56, 62
 hardening, 21
 invariants, 61, 86
 of line element, 55
 magnification factor, 56
 measurement of, 70, 71
 offset, 11
 permanent, 10
 plane, 62, 63
 Mohr's circle of, 67
 principal, 55, 60
 rosettes, 70, 71
 delta, 71
 rectangular, 71
 shear, 58, 59
 tensor, 59
 theory of, 25, 55
 transformation of, 55
 true, 9
 volumetric, 86, 92
- Strain–displacement relations,
 in cylindrical coordinates, 64
 finite displacement, 57
 in orthogonal coordinates, 63
 in polar coordinates, 64
 small displacements, 61
 integration of, 69
 in spherical coordinates, 64
- Strain energy,
 axially loaded members, 156
 axially loaded springs, 157
 bending of beams, 158
 complementary, 152
 density, 13, 81
 complementary, 82, 83
 elastic, 81
 for isotropic elastic material, 85
 shear in beams, 158
 for torsion, 160

- Strain hardening, 11
- Strength,
 fatigue, 22
 ultimate, 11
 yield, 11, 12
- Strength reduction factor, 546, 554
- Stress,
 array of plane stress, 38
 components of, 27
 on arbitrary plane, 29
 normal, 30
 on oblique plane, 30
 shear, 30
 symmetry of, 28
 contact, *see* Contact stresses
 definition of, 25
 deviator, 37, 38
 effective uniaxial, 106, 114
 hydrostatic, 34
 invariants of, 33, 86, 120
 mean, 37, 38
 multi-axial, 106
 notation, 26, 28
 octahedral, 36
 normal, 36
 shear, 36
 plane stress, 38
 array, 39
 Mohr's circles in, 40, 41
 tensor, 39
 principal, 30, 32
 principal stress space, 114
 shear, pure, 38
 tensor, 28
 deviator, 38
 mean, 38
 theories of, 25
 transformation, 31
 true, 9
 ultimate, 11
 vector, 26
 normal, 26
 shear, 26
 yield, 11, 12
- Stress concentration factors, 504, 551, 573
 atomic model of a crack, 506
 in beams, 527
 calculated, 504
 combined loads, 515
 effective, 504, 505, 530, 575
 repeated loads, 532, 533, 575
 elastic membrane method, 525
 for ellipsoidal cavity, 512
 experimental techniques, 522–524
 for fillet in torsion, 525, 527
 for grooves and holes in bars, 513, 520
 inelastic strains, 536
 Neuber's theorem, application of, 537, 538
 for infinite plate, with circular hole, 507, 515
 with crack, 512
 with elliptical hole, 508, 511, 516, 517, 552
 methods of reducing, 577
 nature of, 504
 Neuber's nomograph, 514
 notch sensitivity index, 531–536
 theory of elasticity, 507
- Stress intensity factors, 546, 554
 critical, 546, 559
 definition, 556
 Model I, 545, 546
 Modes II and III, 545, 546
- Stress-strain data, 104, 105
 limitations on use of, 104
 standard tests for, 105
- Stress-strain relations, 8, 79, 108
 diagram, 9, 14, 15
 linear, 2, 79
 orthotropic materials, 94
- Stress-strain-temperature relations, 71, 91
 isotropic linear elastic, 91
- Superposition, method of, 363
- Supports, settling of, 180
- Tensor,
 deviator stress, 38
 mean stress, 38
 of plane stress, 39
 second order symmetric, 32
 strain, 59
 stress, 28
- Thermal expansion coefficient, 91, 411
- Thermodynamics, first law, 79
- Thermoelasticity, for isotropic linear elastic material, 91
- Torsion, 200
 angle of twist, 200, 201, 209, 237
 per unit length, 201, 203, 214, 237
 angular velocity, 204
 axis of twist, 200
 Bauschinger effect, 246
 boundary conditions, 211
 circular cross section, 200
 constant, 215, 216, 220, 221, 224, 230
 elastic-plastic, 244
 boundary, 246
 elliptical cross sections, 214
 equations of equilibrium, 210
 frequency of rotation, 204
 fully plastic, 244, 246, 250
 sand heap analogy, 251
 tables for, 251–253
 general cross section, 250
 geometry of deformation, 209
 of hollow thin-wall member, 228, 230
 inelastic torsion, 243
 linear elastic solution, 213, 214
 maximum shear stress in, 225
 membrane analogy, 216, 217, 228
 modulus of rupture in, 244
 of multiply-connected cross section, 218, 228, 230
 of narrow rectangular cross section, 219
 cross section made up of long narrow rectangles, 221
 numerical solution, 239
 power, 204
 rectangular cross sections, 222, 225
 reentrant corners, 219
 residual shear stress, 246
 restrained ends, 234
 I-section, 235
 tables for, 240
 rigidity factor for, 203, 215, 216, 220, 224
 Saint-Venant's principle, 203
 semi-inverse method, 209
 shear flow, 229
 simply-connected cross section, 218
 soap-film analogy, 216, 228
 stress function, 211, 214, 240, 253
 transmission shaft design, 204
 unit angle of twist, 201, 203, 214, 237
 warping, 210, 234
 function, 210
- Torsionally loaded members, 3
 angle of twist, 3
 shear strain, 3
 shear stress, 3
- Toughness,
 modulus of, 13
 notch, 544

- Unit vector, 29
- Virtual displacement, 147
- Virtual work, 148
- Viscoelasticity, 107
- Viscoplasticity, 107
- Volumetric strain, 86, 92
- Warping, restraint of, 234
- Winkler foundation, 357
- Work, 80
 - hardening, 21
 - virtual, 148
 - external, 148
 - internal, 148
- Yield,
 - deviatoric plane, 122
 - of ductile metals, 117
 - effective stress, 116–118, 121
 - function, 114–118, 121, 128
 - hydrostatic axis, 122
 - hydrostatic stress, effect of, 122
 - load, 129
 - locus,
 - Haigh-Westergaard stress space, 114
 - principal stress space, 114
 - moment, 129
 - π -plane, 122, 123
 - stress, 11, 12
 - surface, 114, 115, 117–119, 127
- Yield criteria, 106, 113, 114
 - Beltrami's, 116
 - comparison of, 139, 140
 - distortional energy density, 119, 120
 - Drucker-Prager, 127, 128
 - general concepts, 113
 - Hill's, 128
 - maximum octahedral shear stress, 119, 121
 - maximum principal strain, 116
 - maximum principal stress, 114, 115
 - maximum shear stress, 118
 - Mohr-Coulomb, 126
 - for orthotropic materials, 128
 - Rankine's, 114
 - Saint-Venant's, 116
 - strain-energy density, 116
 - Tresca, 118, 119
 - von Mises, 119–121
 - Young's modulus, 11, 87