

SUBJECT INDEX

- Additive model, 194, 218, 229, 243, 313
degrees of freedom, 213
model, 218
nonadditivity, 219, 222, 237
Poisson, 142
sums of squares, 213
Adequacy of fit, 466
Alias, 381, 399
blocks, 336
de-alias, 396
generator, 383
Analysis of variance, 170, 213
assumptions, 182
components of variance, 582
computation, 194, 241
factorial, 313
geometry, 178, 197, 212
model, 194, 210, 218, 229
one way, 189, 194
randomized block, 214, 230
regression, 460, 466
two way, 209, 230
Assumptions, 64, 84, 104, 247
 $\text{IIDN}(0, \sigma^2)$, 78, 182, 584
regression, 496, 505
test procedures, 84-85
Average, 29, 30, 40, 560
adjusted treatment, 275
central tendency, 44
exponential, 595
sampling distribution, 66
variance, 68, 88, 89, 604
weighted, 594
Autocorrelation, 62, 88, 104, 496, 585
Balanced block, 208, 245, 275
incomplete, 258, 269, 275
model, 210, 275, 278, 588
Bayes, 115
prior belief, 109
Binomial, 123
coefficients, 124
confidence interval, 131, 642, 643
mean, 129
test of significance, 130
variance, 129
Blocking, 102, 103, 105, 336, 523
factorials, 337, 340, 346, 384, 404
fold-over, 340
generators, 338
interblock information, 341
paired observations, 97, 102
randomization, 102
response surface, 523
signature, 340
Canonical analysis, 531
Categorical variables, 291
Central limit theorem, 44, 89
Chi-square, 70, 89, 118, 142, 150, 634
contingency tables, 145
table, 634
Coding, 53, 307
Complementary design, 384
Components of variance, 571
Composite design, 306, 520
Confidence interval, 107, 110
binomial, 131, 642, 643
coefficient, 110
conditional, 492, 493
difference, 110, 116, 604
distribution, 114
marginal, 464, 470, 491, 492
Poisson, 142, 644

- regions, 470, 492
- regression, 459, 478
- variance, 119
- variance ratio, 120
- Confounding, 338, 381
 - partial, 340
 - resolution III, 397
 - resolution IV, 398, 411
 - resolution V, 408
 - semi, 489
- Contingency tables, 145
- Contours, 296, 517, 526
- Contrast, 481
- Control charts, 558, 600
 - Cum-sum, 562
- Correction factor, 53, 172, 195
- Correlation, 7, 61
 - auto, 62, 496, 585
 - between estimates, 471, 493
 - nonsense, 493
 - serial, 496, 590
- Cumulative sum chart, 562
- Curvature, 294, 516, 520
- Cusum chart, 562
- Data plots, 186, 191, 222, 249, 552, 556
- Deduction, 1
- Defining relation, 384, 409
- Degrees of freedom, 40, 50, 175
 - additivity, 213
 - for nonadditivity, 222
- Dependence, 37, 58, 60, 584
 - linear, 60
 - serial, 62, 82, 496
- Density, 28
- Design, 4
 - balanced block, 208, 245, 275
 - incomplete, 258, 269, 275
 - botched, 503, 509
- completely randomized, 165, 177, 193
- factorial, two level, 306
- fold-over, 340, 399, 406
- fractional, 374, 397, 398, 408, 411
- Graeco-Latin, 255, 261, 262
- hierarchial, 572
- Latin square, 245, 261
- matrix, 307, 519
- nested, 572
- nonlinear, 546, 553
- optimal, 471
- paired comparison, 99
- Plackett and Burman, 398
- poor, 487, 497
- randomized block, 209, 241
- saturated, 398
- two-way, 228
- Youden square, 260, 276
- Diagnostic checks, 182, 220, 259, 333, 480, 517, 549
- time series, 329, 597
- Differential equations, 541
- Distributions, 25
 - binomial, 123
 - Chi-square, 70, 89, 118, 634
 - confidence, 114
 - cumulative, 329
 - distribution free, 78, 104, 121
 - F, 121, 636, 637, 638, 639, 640
 - frequency, 29
 - Gaussian, 43
 - identical, 60
 - joint, 58
 - normal, 29, 43, 86, 630
 - parent, 44, 66, 90
 - Poisson, 77
 - probability, 27
 - randomization, 95, 99
 - rectangular, 82
 - reference, 21, 35, 37, 38, 79, 190, 226, 328
 - residuals, 183
 - sampling, 66, 89
 - skewed, 82
 - t, 15, 49, 70, 631, 632
 - scaled, 96, 101
 - s^2 , 89
 - \bar{y} and s^2 , 44, 89
 - Dot diagram, 25
 - E(Y), 39, 87
 - Effects, factorial, 309, 313
 - interaction, 229
 - linear, 9
 - main, 229, 309
 - standard errors, 319, 327
 - treatment, 180
 - variance, 320
 - Empirical model, 294, 300, 540
 - Error, 7, 24
 - components, 571

- critical level, 37, 109
 experimental, 7, 24
 multiple comparison, 203
 propagation, 563, 570
 standard, 88
 transmission, 563, 570
 variance, 319, 459
- Estimation, 76
 least squares, 457, 498
 likelihood, 239, 590
 nonlinear, 545
 sufficient, 70, 91
- EVOP, 362, 550
- Evolutionary Operation, 362, 550
- Exponentially weighted average, 595
- Expectation, 30, 39, 87
 mean square, 109, 190, 582
- Experiment, comparative, 94
 noncomparative, 73
 run, 24
- Experimental error, 7, 24
- Exponential model, 479
- Exponentially weighted moving average, 595
- Extrapolation, 544
- F distribution, 121, 188, 199, 200, 225, 636
 table, 636
 tests, 222, 225, 249
 t^2 , 200
- Factorial, 124
- Factorial designs, 228, 306
 botched, 503
 blocked, 340, 346
 embedded, 388, 393
 fractional, 373
 model, 229, 294
 notation, 308, 383
 redundancy, 375
 reference distribution, 328
 unreplicated, 325
- Feedback, 497, 599
 updating, 5
- First degree polynomial, 479, 513
 order model, 503
 order moving average, 590
- Fold-over, 340, 399
- Forecast, 591
- Fractional factorials, 373, 410
 additional runs, 397, 413
 alias, 381, 397, 399
 alternative, 384, 394, 403
 blocks, 309, 404
 complementary, 384
 embedded, 388, 393
 fold-over, 341, 399
 generator, 383, 409
 half-fractions, 373
 Plackett and Burman, 398
 resolution, 385
 III, 393
 IV, 403, 412
 V, 408
 saturated, 393, 397, 398
 screening, 388, 545
 sequential use, 396, 489
- Frequency, 137
- Frequency distribution, 25
- Gaussian distribution, 43
- Generators, 383, 409
- Geometry:
 analysis of variance, 178, 197, 212
 empirical models, 294
 least squares, 500
 t test, 202
 vectors, 197
- Gradient, 567
- Graeco-Latin squares, 255, 261, 262
- Graphical summaries, 25, 191, 250, 296, 531, 537
 normal plots, 329
 residuals, 186
- Grouping interval, 28
- Happenstance data, 487, 497
- Hierachial design, 572
- Histogram, 26
- Homogeneity, 142
- Hypothesis, 1, 37, 202
 alternative, 37, 65, 108
 contingency table, 45
 k means, 87, 225
 lack of fit, 466, 481
 multiple, 203
 null, 32, 83, 108
 random sampling, 30, 70, 81, 83, 86

- regression, 460, 481, 483
- testing, 21, 107
- Independence, 38, 57, 59, 64, 78, 84
 - statistical, 57
 - not assumed, 37
 - time series, 584, 589
- independent variable, 454
- IIDN, 78, 182, 584
- Incomplete blocks, 258, 269
 - analysis, 275
- Indicator variable, 473
- Induction, 1, 552
- Inference, 107
- Inflection point, 47
- Interaction, 9, 218, 229
 - additivity, 313
 - checks, 516, 520
 - confounded, 202
 - effects, 229, 313
 - interpretation, 318
 - transformable, 218
- Intervention analysis, 602
- Iteration, 1, 10, 549

- Kurtosis, 90

- Lack of fit, 465, 481, 516, 523, 549
- Lag correlation, 63, 585
- Latin square, 245, 264
 - Graeco, 255
 - Hyper Graeco, 255
 - model, 246, 263
 - replicated, 266
 - tables, 261
- Learning process, 1
- Least squares, 239, 455, 457, 498
 - first order model, 479, 503, 513
 - matrix notation, 501
 - second order model, 482, 520
 - straight line, 453, 473, 507
 - weighted, 505
- Likelihood, 239, 590
- Linear combination, 87
 - constraints, 40
 - effects, 9
 - function, 44, 563
 - programming, 535
- Lurking variable, 493

- Matrix, 177, 501
- Maximum, 526
 - likelihood, 239, 590
- Mean, 29, 30, 41
- Mean square, 169, 174
 - expected value, 190
 - ratio, 199, 224, 230, 249, 253, 257
- Metric, 133, 238
- Models, 545, 549
 - additive, 218
 - adequate, 239, 479, 549
 - approximate, 294
 - balanced block, 275
 - building, 452
 - diagnostic checking, 182, 220
 - discrimination, 545, 548, 554
 - dynamic, 496
 - empirical, 291
 - exponential, 479
 - first order, 513
 - fitting, 455, 549
 - identification, 303
 - Latin square, 246
 - Graeco, 255
 - linear, 44, 87, 479, 563
 - mechanistic, 294, 540, 546
 - nonlinear, 483, 523, 545
 - one-way classification, 182
 - polynomial, 479, 513
 - random sampling, 57, 65
 - randomized blocks, 210
 - second order, 482, 520
 - selection, 549
 - simulation, 429
 - sinusoidal, 479
 - specification, 549, 597
 - statistical, 37, 40, 57, 70, 84, 104, 588
 - straight line, 453, 473, 507
 - Taylor's series, 374
 - testing, 545, 550, 554
 - theoretical, 293
 - time series, 585
 - variance components, 572
 - Youden square, 278
 - Moving average, 590
 - Multiple comparisons, 193, 203
 - Multiple responses, 548, 554

 - $N(\eta, \sigma^2)$, 46
 - Nested designs, 572

- Noise, 6, 104
 - white, 550, 589
- Nonadditivity, 219, 237, 336
 - transformable, 220
- Nonlinear model, 483, 523, 545
 - designs, 546, 553
 - effect, 9
 - error function, 564
 - estimation, 553
- Nonparametric tests, 78
- Normal distribution, 43, 46, 48, 630
 - deviate, 48
 - nonnormality, 43, 82, 90
 - paper, 329, 407, 550, 641
 - standard, 48
 - table, 630
 - unit, 48
- Normal equations, 457, 464, 501
- Observation decomposition, 175, 212, 243, 248
- One factor at time, 312
 - parameter model, 453
 - way classification, 182
- Optimal design, 471
- Order, first, 513
 - probability plot, 332
 - second, 485, 520
 - Yates, 323
- Orthogonal, 199
 - design, 504
- Pair, comparison, 93, 102, 105
 - fold over, 340, 399
- Parameters, 30
 - mean, variance, 40
 - nonlinear, 546
 - regression, 453, 479, 501
- Pascal's triangle, 125
- Percent, 145
 - error, 186
- Placket and Burman, 398
- Planar surface, 467, 490, 514
- Plotting, 136, 191, 222, 249, 552
 - confidence intervals, 113
 - histograms, 26
- Poisson distribution, 137, 142, 144
 - confidence limits, 644
- Pooled estimate, 76, 319
- Population, 27
- Precision, 7, 313, 459
- Probability, 24, 27
 - binomial, 123
 - joint, 58
 - Poisson, 137
 - varying, 135
- Problems, 152, 281, 434, 606
- Propagation of errors, 451, 563, 570
- Proportion, 129
 - proportionality constant, 454
- Pseudo-variaige, 507
- Pythagoras' Theorem, 180, 213
- Quadratic model, 294, 334, 482, 501
- Quality control, 550, 558
- Qualitative variables, 291
- Quantitative variables, 291
- Random, 28, 57
 - sampling, 30, 57, 65, 81
 - shocks, 590
 - test, 101
 - variable, 57
- Randomization, 9, 93, 102, 105, 112
 - distribution, 95, 99
- Randomized block, 208, 214
 - computation, 213, 243
 - design, 177, 193
 - geometry, 211
- Range, 488, 560
- Ranking, 80
- Redundancy, 374, 534
- Reference distribution, 21, 35, 37, 79
 - external, 34, 38
 - factorial, 328
 - means, 191, 194, 226, 249, 250, 254, 258
 - adjusted, 279
 - serial data, 588
- Regression, 453, 479
 - adequacy, 466
 - equation, 453, 487, 495
 - factorial, 503
 - happenstance data, 487
 - matrix, 501
 - semi-confounding, 489
 - two parameters, 462
- Replication, 105, 264, 319
- Residuals, 40, 455
 - analysis, 183, 221, 334

- R**esolution, 385, 393, 403, 408
Ridges, 526
Robustness, 43, 46, 89, 122
- S**ample, average, 29, 40, 53
 distribution, 66
 random, 30, 57, 64, 70
 standard deviation, 40, 53
 variance, 40, 53
- S**ampling, components, 579
 distribution, 66, 70
 minimum cost, 580
- S**aturated design, 393, 397, 398
- S**cheffé method, 206
- S**creening, 389, 545
- S**econd order model, 501, 520, 544
 canonical, 526
- S**ensitivity, 226, 231, 336, 429, 546
- S**equENTIAL, approach, 303, 537
 design, 519, 535
 factorials, 396
- S**erial correlation, 496, 590
- S**hewhart chart, 558
- S**ignal-noise, 363
- S**ignificance, 21, 107
 difference, 34
 geometry, 202
 level, 35, 75, 81, 83, 109
 test, 21, 52, 64, 84, 109, 110
- S**imilarity, 300, 374
- S**imulation, 429
- S**moothness, 300, 374
- S**tandard deviation, 40, 53
 error, 88
 average, 68
 difference, 74, 588
 effect, 319
 nonreplicate, 327
 regression, 459, 468
- S**tatistics, 24, 30, 40, 68
 sufficient, 70, 91
- S**teepest ascent, 423, 517
- S**traight line, 295, 473
 inadequacy, 480
 shift origin, 476
 through origin, 453
- S**tudent, 14, 49
see also t distribution
- S**ufficiency, 91
- S**um of squares, 54, 176, 239
 additivity, 211
 function, 455, 499
 surface, 462, 484, 499
 weighted, 505
- t** distribution, 49, 70, 84, 93, 108
 Dunnett's, 205
 dubious use, 72, 84
 ordinate, 191, 632
 reference distribution, 101, 191
 scaled, 96, 101
 Student, 14, 49
 table, 631, 632
- T**ables, 630
 binomial confidence limits, 642, 643
 Chi-square, 634
 F , 636, 637, 638, 639, 640
 Gaussian, 630
 normal, 630
 Poisson confidence limits, 644
 scales for normal plots, 641
 t , 631, 632
- T**aylor's series, 374
- T**ests, 84, 107
 adequacy, 466, 481, 483
 adjusted average, 278
 analysis of variance, 224
 association, 145
 Bartlett's, 91
 binomial, 130
 Chi-square, 119, 142
 equal means, 187
 F , 222, 225, 249
 geometry, 202
 models, 545, 550, 554
 multiple-comparisons, 203
 non-additivity, 222
 regression, 460
 robustness, 89, 122
 Wilcoxon, 80
- T**ime series, 497, 589
- T**ransformations, 234, 240, 523
 binomial, 133
 Box and Cox, 239
 Box and Tidwell, 523
 factorial, 336
 non-additivity, 220, 232
 Poisson, 144
 variance stabilizing, 144, 232

- Transmission of error, 563, 570
Treatment, 105
 adjusted, 275, 279
 effect, 188
Tukey, J. W., one degree of freedom, 222,
 237, 244
 paired comparison, 204
- Unit normal deviate, 48, 74
- $V(y)$, 39, 87
Validity, 93, 104
Variable, categorical, 291
 compound, 533
 dependent, 454
 fundamental, 532
 independent, 454
 natural, 532
 qualitative, 291
 quantitative, 291
 random, 57
- Variance, 23, 40, 41
 adjusted, 275
 analytical, 319
 average, 84, 604
 average variance, 524, 544
Bartlett's test, 91
Chi-square, 70
components, 571
difference, 74, 320, 588, 604
effect, 320
- equality, 70
estimated value, 478, 523
experimental, 319, 517
fitted valves, 478, 524
linear statistic, 87, 88, 588, 604
mean known, 42
population, 40
pooled, 76, 319
ratio, 120
regression coefficient, 459, 461, 478, 505
robustness, 122
sample, 23, 319
serial correlation, 88, 588, 604
stabilizing transformation, 144, 232
weighting, 505
total, 572
- Variation, study of, 556
Vectors, 175, 197, 212
Versions, 306
- Weighted average, 594
 exponential, 595
 least squares, 505
- White noise, 549, 589
Wilcoxon test, 80
- Yates adjustment, 150
 algorithm, 323, 342, 407
 reverse algorithm, 344
- Youden square, 245, 260, 278