

Index

- ablating surface protection system 235
- ABM 135
 - impulse requirements 222
- absorptance 361
- absorptivity 361
- AC magnetic fields 537
- acceptance level 592
- acceptance testing 553-4
- access system, choice of 416
- accessibility requirements 256
- acoustic environment for Ariane 4 251
- acquisition of signal (AOS) 488-9
- ACS
 - accuracy specification 288
 - block diagram 291-2
 - computation 319-24
 - design objective 288
 - mission-related system considerations 288-90
 - overview 288
- activation 42
- activation energies 576
- active damping 297
- Active Pixel detector arrays 472
- active redundancy 563
- active thermal control 373, 379-85
- actuators and EMC 545-6
- adiabatic demagnetization (ADR) 385
- advanced along-track scanning radiometer (AATSR) 647-8
- advanced materials 262-3
- advanced metal matrix materials 263
- advanced orbiting systems (AOS) 456, 466
- advanced SAR (ASAR) 646-7
- AE8 30
- AEC-ABLE CoilABLE mast 508
- aero-assisted orbit transfer 160
- aerobraking 160
- aerocapture 160
- aerodynamic heating 356
- aerodynamic torques 303-4
- aeromaneuvring 161
- aerospike nozzle 180-1
- aerothermal fluxes 16
- AGREE test method 565
- Air Force Office of Scientific Research (AFOSR) 597
- albedo irradiation 359
- alignment 255-6
- along-track scanning radar (ATSR) 644
- altimetry 649-51
- altitude 117, 126
- ammonia 204
- ammonium perchlorate 184
- amplitude modulation (AM) 403, 406-8
 - noise 413
- amplitude-shift keying (ASK) 404
- AMPTE 497-8
- AMSAT 581, 593
- analogue commutation 454
- analogue data conditioning 454
- analoguedigital (A/D) conversion 405, 577
- analogue modulation 403-6
- angular displacement between successive orbits 125
- angular momentum 54, 56, 58-60, 70, 287
 - equations 61
 - rate of change 59-62
 - rigid bodies 61-3
 - with spinning wheels 62
- anhydrous hydrazine 194
- announcement of opportunity instruments 643
- antennas 422-4, 474, 478-81, 510-11
 - configuration 479, 480
 - coverage area 432
 - diameter 436, 479
 - electrically despun 638
 - gain 423-4, 425
 - helical 436
 - horn 436
 - paraboloidal reflector 437
 - phased array 438
 - pointing mechanisms (APMs) 516, 527
 - radiation patterns 422-3
 - subsystem 427-8, 435-8
 - system 484
 - temperature 412
 - types 436-8
 - umbrella-type 510-11
- anti-latch-up circuits 564
- AP8 30
- aperture efficiency 423
- apoapsis (or apofocus) 85
- apoapsis equation 148
- apogee boost (or kick) motor (ABM/AKM) 134, 198, 222, 628, 638, 641
- apogee engine 274
- apogee motor 171, 184
 - solid-propellant 197-8
- Apollo command module thermal protection system 235
- Apollo missions 8, 523, 551

- appendages 504
- application-specific integrated circuits (ASICs) 441, 475, 610
- apses 85
- apsidal precession 98
- area-to-mass ratio 93, 103
- Ariane 216, 224
- Ariane
 - dual-launch system 228–30
 - flight profile 215
 - launch vehicle 226–31, 469
 - design summary 226–7
 - mission performance 227, 228
 - noise spectrum 13
 - static acceleration profile 14
- Ariane 4 12, 248
- Ariane 4 acoustic environment 251
- Ariane 4 base axial force launch transient 250
- Ariane 4 random vibration 251–2
- Ariane 4 random vibration spectrum 13
- Ariane 4 sine vibration environment 249–50
- Ariane 4/Spelda 242
- Ariane 5 14, 16, 243
- Ariane 5 ground-track 112
- Ariane 5 launch vehicle, acceleration values 15
- Ariane
 - structure for auxiliary payloads (ASAP) 243, 595, 600, 603
 - transfer orbit 135
- Ariane-501 failure review 622
- ARISTOTELES 95
- Arrhenius equation 575–6
- Artemis satellite 347
- ASAR 646–7
- asteroids 154
- Astromast 336
- astronomy missions
 - orbit options diagram 620
 - orbit selection 621
- atmosphere
 - at sea level 20
 - temperature profile of 23
- atmospheric drag 100–1
- atmospheric entry 161–2
 - constraints during 162–5
- atmospheric pressure as function of altitude 356
- atmospheric refraction 417–18
- atomic/molecular collisions 24
- atomic oxygen 526
 - effects on exposed interconnects 335
 - erosion 40–2
- Attached Pressurized Module 642
- attenuation 417, 419, 420
- attitude 75
 - data 453
 - datum axes 310
 - determination using global navigation satellite systems (GNSS) 316–17
 - dynamics 58
 - meaning of 307
 - measurement 307–19
 - motion 63–71
 - response 292–9
 - summary 298–9
 - specifying 307
- attitude and orbit control system (AOCS) 65, 71, 113, 196, 287–324, 336, 351, 451, 501, 513, 622
 - methods employed 287
 - system engineering 653–4
 - using PID algorithm 319–24
 - see also ACS
- autonomous operations, ground stations 498–9
- autotracking 484
- auxiliary circle 86
- auxiliary payloads 243
 - microsatellites mounted as 600
- avionics 451
- axial ratio 424
- axial thrust 180
- axially symmetric spinning bodies 67
- azimuth-elevation pointing mechanism 516
- back-surface reflectors (BSRs) 333
- ballistic coefficient 162–3, 234
- ballistic entry characteristics 163
- bandwidth 406–8
- base axial force launch transient for Ariane 4 250
- baseband frequencies 402
- batteries 326, 328, 343–6
 - control 348
 - NiCd 344–5, 352
 - performance comparison 344
 - reconditioning 346
 - voltagecurrent characteristics 345
- batterybeacon package 373
- battery charge regulator (BCR) 348
- battery discharge regulator (BDR) 348
- battery management unit (BMU) 348
- beamwidth 422–3
- bearings 522–4
- bending modes 72
- Bessel functions 407
- bi-phase-shift keying (BPSK) carrier modulation 465
- bi-propellant 182, 184, 196–7
- Binary Phase-Shift Keying (BPSK) 405
- binomial distribution 561
- biological tissue 42

- bit error rate (BER) 414, 430, 457
- black bodies 361–4
- black-body curve 360
- blood volume redistribution 44
- Boeing 601 structure configuration 276
- bolometers 312
- Boltzmann's constant 409, 426
- Bond number 191
- BoseChauduriHocquenchem (BCH) algorithm 465
- Brayton cycle 343, 385
- Bremsstrahlung 564
- bridging functions 161
- budgets
 - system engineering 623–4
 - see also power budget
- build 575
- burn-in 567, 589
- bus 6

- cables 546
- capillary forces 377
- capillary-pumped loops (CPLs) 376, 378, 381
- carbon fibre reinforced plastic (CFRP) 652
- carrier component 406
- carrier-to-noise-power-density ratio 424
- carrier wave 403
- Carson's formula 408
- Cassegrain system 437
- Cassini-Huygens mission 1, 326
- Cassini-Saturn explorer 151
- CassiniSaturn orbiter 340
- CCD star sensors 315
- CCSDS file delivery protocol (CFDP) 467
- celestial mechanics 57, 79–109
- celestial sphere 91, 92
- central communication unit (CCU) 654
- central processor 469
- centre-of-mass (C) 50–1, 57, 59, 61, 303
- ceramic materials 263
- CERISE 608, 609
- CFRP 653
- CHAMP 95
- channel frequency characteristic 435
- characteristic equation 67
- characteristic thrust coefficient 176
- charge-coupled devices (CCDs) 42, 311, 387, 472, 647
- chemical impulse versus low-thrust orbital transfer 202
- chemical rockets 172–93
 - alternative high-speed air-breathing propulsion 188–91
 - basic principles 172–82
 - design 184–8
 - nozzle flows 174–7
 - nozzle performance and design 177–81
 - performance parameters 173–4
 - principal components 184
 - thermochemistry 181–2
- circle of coverage 128
- circuit protection 563
- circular orbit 84, 88, 289, 307, 309
- circular polarization 417, 436
- civil, aircraft, military (CAM) technologies 549, 553
- ClausiusClapeyron equation 376, 384
- closed-cycle engines 186–7
- coarse pointing mechanism (CPM) 519
- coatings 526
- code-division multiple access (CDMA) 409
- CoilABLE 508
- cold gas systems 193–4
- collapsible tube mast deployment mechanism 507
- collected volatile condensable materials (CVCM) 568
- collimation 357
- collision 55, 62
- Columbus Programme 642
- Columbus water loop 382
- coma 155
- cometary bodies 154
- comets, engineering models 158
- command link transfer unit (CLTU) 464
- command list generation 487–8
- command uplink 450
 - and verification 489
- commercial off-the-shelf (COTS) technologies
 - see COTS
- common mode current 539
- common mode noise 539
- common mode signals 538
- common mode voltage 539
- communication spacecraft 613
- communication techniques and protocols 465–8
- communications, small satellites for 604
- communications infrastructure 9
- communications orbits 145
- communications processors 470
- communications spacecraft 144–7
- communications subsystem, system engineering 656
- complementary metal oxide semiconductor (CMOS) material 43
- component quality 557
- components 520–5
- composite materials 264–5
- computer processors, small satellites 587
- concurrent engineering 620
- conductance terms 372
- conducted emissions 538–9

- conducted susceptibility 539
- conduction paths 375
- conductive heat exchange 364–5
- confidence levels 556–8
- configuration, Eurostar 3000 274–5
- configuration control 492–3, 574
- configuration interactions 224–6
- conformal coatings 592
- conic sections 84
- conservation equations 175, 176
- conservation of momentum laws 63
- conservative forces 58
- constant torque components 295
- constellation design 132
- constellation geometries 130–1
- constellation orbit plane geometry 129
- Consultative Committee for Space Data Standards (CCSDS), TTC formats 588
- Consultative Committee for Space Data Systems (CCSDS) 316, 456–7, 459, 473, 655
 - file delivery protocol (CFDP) 467
- continuously and intermittently operating devices 501, 511–19
- continuously rotating mechanisms 512–15
- continuum flow 161
- control moment gyroscopes (CMGs) 307
- control torque 320
- controller area network (CAN) bus 588
- convective interaction 356
- convergent/divergent (de Laval) nozzles 175
- Coriolis effects 319
- Coriolis theorem 61
- corpuscular radiation environment 45
- cosmic radiation 563
- cost-effective systems 495–9
- cost-effectiveness, future 499–500
- cost reduction scenarios 496–9
- cost reduction techniques, main focus 499
- cost versus reliability 496
- COTS components in space environment 589–92
- COTS technologies 549, 553, 582, 585, 610–11
- course change 57
- cover glass 331
- coverage 128
 - diameter 129
 - figure of merit 129
- crack propagation analysis 257
- crew return vehicle 554
- critical design review (CDR) 572, 617
- cross-coupling 64, 65, 71
- cross-polar discrimination (XPD) 424
- cross-polar interference 424
- damage tolerance 257
- damped harmonic motion 298
- Darwin 618
- data access 497
- data analysis 491
- data availability 496
- data compression 473, 500
- data downlinks 473–4
- data-handling functions 451–2
- data-handling subsystem 654
- data processing 491
 - automatic 498–9
- data reception 489–90
- data storage 473, 500
- data transfer 497
- DC magnetic fields 537
- DC motors and EMC 545–6
- dead band of inclined geosynchronous vehicle 140
- decommissioning 113
- Defence Advanced Research Projects Agency (DARPA) 597
- degradations 554
- degrees of freedom (DOF) 514–15
- demodulation 403
- deployable lattice mast 508
- deployable structures, mechanisms for 504–8
- deployment of mechanisms 453
- depolarization 419
- depth of discharge (DOD) 344–5, 352
- derating 8, 564, 578
- descent time 160
- design drivers 7, 113
- design requirements 111
- deviation ratio 413
- differential evolutionary rates 97–9
- differential mode current 539
- differential mode signals 538
- differential mode voltage 539
- differential PSK (DPSK) 415
- differential rate of evolution 98
- diffusive equilibrium 21
- digital/analogue (D/A) converters 577
- Digital Audio and Video Transmissions 441
- digital bi-level data 454
- digital modulation 404–6
- digital signal processor (DSP) 441, 470
- digital systems 413
- Direct Sequence CDMA (DS-CDMA) 409
- directive gain 423
- distortion 255–6
- disturbance torque 290, 322–4
- disturbing accelerations
 - acting on space vehicle 93
 - for main sources of perturbation 105
- disturbing body and satellite positions 102
- docking manoeuvre 62

- Doppler orbitography 650
 Doppler services 482
 DORIS 650
 Dornier antenna pointing mechanism 517
 dose-depth curves 564
 double sideband suppressed carrier (DSBSC)
 modulation 413
 down-converter 428, 439
 downlink frequencies 459
 drag
 atmospheric 100-1
 dominant influences of 101
 drag coefficient 100, 162
 drag force 303
 drag loss 214, 218, 220
 drift orbit, station acquisition from 223
 dual launch system 242
 dust tails 155
 dye penetrant crack detection 257
 dynamic equations 70
 dynamics of spacecraft 49-77
- Earth escape probes 215
 EarthMoon system 107, 108
 Earth observation, small satellites for
 606-7
 Earth Observing System (EOS)
 499-500, 643
 Earth orbit environment 20-36
 Earth sensors 312-13
 EarthSun acceleration ratios 147
 EarthSun system 107
 EarthSun vector 119
 Earth-synchronism 125
 Earth-synchronous orbit 122, 123
 Earth synchronization versus altitude 126
 Earth triaxiality perturbation 137
 Earth's atmosphere, propagation in 417-22
 Earth's gravitational field 95
 Earth's magnetic environment 23
 Earth's magnetic field 25, 26
 Earth's shadow, orbit intersection with 120
 EastWest station-keeping 141
 Eastern Test Range 222
 eccentric anomaly definition 86
 eccentricity 84
 eclipse 327-8, 344
 duration 118-20
 effective aperture 423
 effective conductance 378
 effective emittance 365, 368
 effective project management 586
 ejection of particles 52
 electric field emissions 546
 electric fields 536-7
 electric motors 520
 electric propulsion 198-209
 fundamentals 198-201
 rocket performance 199-200
 electric rockets, propulsive roles 201-3
 electric thruster design 203
 electrical bus 346
 electrical changes 41
 Electrical Ground Support Equipment (EGSE)
 497
 electrical paths 256
 electrical power systems 325-54, 653
 electrically despun antenna 638
 electrically driven centrifugal pump 381
 electromagnetic compatibility (EMC) 256,
 531-47
 basic problem and its solution 534-5
 categories 535-9
 fundamentals 534-5
 problems 532
 safety margins 535
 specifications 532-3
 systems approach 535
 terms and definitions 533-4
 use of term 533
 electromagnetic compatibility (EMC)
 analysis methods 546-7
 major causes of problems 545-6
 electromagnetic interference (EMI) 533
 launch phase 16-17
 electromagnetic pulse (EMP) 534
 electromagnetic radiation 103
 electromagnetic waves, field vectors in 418
 electromagnets 301
 electron belts 589
 electron bombardment 205
 electron radiation 563
 electron spectra 21
 electronic equipment, temperature range 355
 electronics technology 474-6
 electrostatic charging 33
 electrostatic discharge (ESD) 533-4,
 539-40, 589
 electrostatic ion engines 203
 electrostatic thrusters 204-8
 electrothermal hydrazine thruster 194-5
 electrothermal thrusters 203-4
 ellipse 84, 86
 elliptic capture option 150-1
 elliptical motion 85
 elliptical orbit 84, 88, 289
 elliptical polarization 417
 e-mails 604
 embedded terminals 470
 embrittlement 41
 emittance 361, 362
 encoding 406

- end of life (EOL) performance 331, 350–1, 353
 energy conservation 83
 energy dissipation method 296
 energy equation 58, 83, 159
 engine cycles 186
 enhanced microsatellite 595
 entry angle 234
 entry corridor 165–6
 environmental compatibility of components 8
 environmental effects
 on man 44–5
 on materials 39–44
 on spacecraft design 39–45
 see also spacecraft environments
 environmental protection 255
 EnviSat 334, 624, 653, 655, 656
 case study 642–56
 EPOP-M1 643
 EPOP-M2 643
 EPOP-N1 643
 EPOP-N2 643
 equations of motion 93, 156, 211
 equipment mounting location 247
 equipment random vibration test and acoustic response 252
 equivalent isotropic radiated power (EIRP) 425, 433, 474
 equivalent particle (e.p.) 51–2, 56
 ER-MIL (Established Reliability) 565
 erosion 262
 error-control coding 457–8, 465
 error detection and correction (EDAC) 591
 error signals 319
 ERS-1 and -2 514, 644
 ESA 158, 462
 ESA/ESTEC 386
 ESA/NASA spacecraft 114
 ESARAD 367
 escape criterion 107
 ESTL 526
 Euler angles 75, 307
 EUMETSAT 643
 European Communications Satellite (ECS) 367
 European Cooperation for Space Standardization (ECSS) 476
 European Retrieval Carrier (EURECA) 381–2
 European solar observatory SOHO 107
 European Space Agency (ESA) 155, 201, 222, 325, 526, 642
 Eurostar 3000
 configuration 274–5
 structure 271
 exhaust flow patterns 177
 exit-to-throat area ratio 176
 external couple 59
 external disturbance torques 60
 external forces 52
 factometer 367
 fail safe (FS) 571
 fail-operational/fail-safe system 571
 failure density function 562
 failure mechanisms 567
 failure mode effects and criticality analysis (FMECA) 556, 566, 567, 573
 failure modes and mechanism 555
 failure rates 556–8
 versus time 562
 failures 554–8
 Faraday rotation 25
 FASat-Bravo Ozone Layer Monitoring Experiment (OLME) 605
 fast frequency-shift keying (FFSK) 404
 faster, better, cheaper (FBC) approach 622
 fatigue life, environmental effects 41
 fault detection, inspection and recovery (FDIR) 554
 fault tolerance 569
 fault tree analysis (FTA) 556
 feasibility phase 615–16
 FedSat micro-satellite 506
 feedback cycle 550
 Fibre Optic Gyroscope (FOG) 317
 fibre reinforced materials 264–5
 Field Effect Transistors (FETs) 442
 field emission electric propulsion (FEPP) 203, 208
 field of view (FOV) 309, 313
 field programmable gate arrays (FPGAs) 475–6
 filters 442–3, 454
 fine pointing mechanism (FPM) 519
 finite element analysis (FEA) 268
 finite element modelling 267–70
 telecommunication spacecraft 268
 first point of Aries 91
 First/Planck 282–3, 618
 structure configuration 282–3
 FLAGRO 257
 flexure modes 71, 72–3
 flight directories 493
 flight operations segment 645
 flight readiness review (FRR) 617
 foams 592
 forward error correction (FEC) 414, 458
 Fourier transform 423
 fracture control 256–7
 frame of reference 91
 Frangibolts 525
 free molecular flow 161

- free-space loss 425
- frequency bands 459
- frequency conversion 428, 439–40
- frequency-division multiple access (FDMA) 409
- frequency modulation (FM) 403, 407
 - noise 413
- frequency multipliers 441
- frequency reuse 424
- frequency-shift keying (FSK) 404
- frozen apogee condition 97
- fuel budgeting 113
- fuel cells 325, 327–8, 337–9
 - performance summary 337
- fuel consumption 323
- fuses 578

- GaAs cells 329–31
- GaAs FETs 568
- GAIA 618
- galactic cosmic radiation 30
- galactic radiation 45
- Galileo 151, 395
 - configuration 341
 - unfolding umbrellas 510
- Gamma Ray Observatory (GRO) 618
- gas traps 381–2
- Gaussian (Normal) distribution 561
- gearboxes 522
- gears 522–4
- GEO 3–4, 96, 104, 111, 113, 118, 121, 133–43, 201, 299, 309, 327–8, 344, 345, 351, 352, 453, 461, 589, 635, 636
 - acceleration 139
 - acquisition 133–6
 - burns direction 143
 - communications spacecraft 274
 - emplacement 222–4
 - force direction arising from J_{22} 138
 - injection into final orbit 223–4
 - station-keeping requirements 136–40
- geocentric phase 149–50
- geocentric semi-angle 117
- geostationary communications satellites 215
- geostationary Earth orbit see GEO
- geostationary meteorological satellites 633
- geostationary satellites 402
- geostationary transfer orbit (GTO) 16, 134–5, 213, 590, 640
 - injection costs 237
 - primary programme objective 227
- Gibbs free energy 337
- Giotto 155, 383
 - de-spin mechanism 512–13
- global ground tracks 146
- global monitoring of environment and security (GMES) 645

- Global Navigation Satellite Systems (GNSS) 127, 394
 - attitude determination using 316–17
- Global Positioning System (GPS) 2, 5, 129, 394, 486, 594–5, 597
- GLOBALSTAR 127, 402
- Goddard Space Flight Center (GSFC) 344
- GOES spacecraft 641
- GOMOS 648
- GRACE 95
 - graceful degradation 132
- gravitational fields 101–3
- gravitational force 156, 303
- gravitational potential of the Earth 95–100
- gravity gradient 72
- gravity-gradient torque 303
- gravity loss 214, 218, 220
- GRAVSAT 95
- Greenwich Mean Time (GMT) 481
- grey body 361–4
- ground control system 4
- ground coverage 128–9
- ground-sample distance (GSD) 608
- ground stations 477–500
 - autonomous operations 498–9
 - configuration 483–6
 - functions 477
 - hardware 477–8
 - Kiruna X-band 656
 - link 449
 - operations 494–5
 - personnel 494, 498
 - software 486–93
 - user needs 495–6
 - visibility 117–18
- ground systems
 - block diagram 485
 - time coordination 486
- ground testing 454
- grounding schemes 540–4
 - function 541
- group delay variation 434
- G/T 432–3
- gyroscopes 317–19
 - precession of 60
- gyroscopic rigidity 60
- gyrostat 71

- Hall effect 203
- Hall effect thrusters 208
- Halley's comet 155, 169, 383
- hardware verification 385–6
- Harmonic Drives 523
- harnesses 546

- hazards 554
 - analysis 569, 573
 - classification 569
- health assessment 490-1
- HealthSat-2 584
- heat emission 361
- heat generation 355
- heat loss 355
- heat pipes 256, 376-8
- heat pumps 384-5
- heat sink 579
- heater switching unit (HSU) 653
- heaters 379-80
- helical antenna 436
- heliocentric orbit 153
- heliocentric phase 148
- Helios 514
- Hemispherical Resonator Gyroscope (HRG) 318
- high-energy corpuscular radiation 41
- high-energy paraffin actuators 525
- high-power amplifiers (HPAs) 428, 430, 433, 434
- high-speed multiplexer (HSM) 655
- high-speed telemetry (HST) link 489
- highly elliptical orbits (HEO) 111, 143-7, 354, 619
- Hipparcos 346
- Hi-Rel part specifications 565
- HM-7 186
- Hohmann ellipse 150
- Hohmann trajectory 121
- Hohmann transfer 115-16, 121-2, 148
- Hohmann transfer ellipse 149
- honeycomb panel 266
- horn antenna 436
- Hotbird 558
- housekeeping data 452
- Hubble Space Telescope (HST) 72, 292, 334, 335, 345, 509-10, 525, 618
- Huygens probe 344
- hybrid spacecraft 70-1, 294-6
 - dual-spin or partially de-spin 295
 - equations 298
- hybrid SPG/MPG scheme 544
- hybrid thrusters 208-9
- hydrazine 182, 184, 204
- hydrazine RCS 641
- hydrogen 188
- hydrogen cloud 155
- hydrogen embrittlement 264
- hydrogen peroxide 182
- hydrogen/oxygen fuel cell 337
 - current-voltage curve 337
 - schematic 338
- hyperbolic eccentric anomaly 89
- hyperbolic excess velocity 91
- hyperbolic trajectories 89-91
- IF amplifier 432, 439
- IF processor 428, 432, 441-2
- image response 439
- Imager for Mars Pathfinder (IMP) 508
- impact protection 272-4
- impact speed 159
- impulses 55-6
- incidental phase modulation 435
- incremental mass 74
- industrial spec 589
- inertia 73-7
- inertia invariant 76
- inertia matrix 67, 73, 74
 - contribution of piece of equipment 76-7
- inertial frame of reference (IFR) 79, 82
- inertial sensors 308, 317-19
- infant mortality 567
- infrared emittance 362
- INMARSAT 5, 394
- INMARSAT-3 402
- INMARSAT-4 402
- in-orbit phases 454
- inserts 266
- instantaneous fields of view (IFOV) 637, 648
- instrument control units (ICU) 655
- instruments 471-2
- insulation systems 378-9
- Integral 618, 619
- integrated circuits 576
- intelligent control units (ICU) 470
- Intelsat 398, 450, 460-2, 613, 624
- Intelsat I 393, 625
- Intelsat II 625
- Intelsat III 393, 625
- Intelsat IV 627
- Intelsat V 461, 627, 629
- Intelsat VI 416, 627-30
- Intelsat VII 205, 345, 630-1
- Intelsat VIIA 631
- Intelsat VIII 631-2
- Intelsat IX 632
- Intelsat X 456, 465, 632
- Intelsat series 7, 394, 512, 626
 - case study 625-33
- Inter-Continental Ballistic Missile (ICBM) 597
- intermediate frequency see IF
- intermittently operated mechanisms 516-19
- intermodulation (IM) products 416, 433-4, 446
- internal forces 52
- internal torques 59
- internally dissipated power 362

- International Maritime Satellite Organisation
 - see INMARSAT
- International Space Station (ISS) 8, 121, 231, 274, 278–80, 342–3, 356, 382, 642
 - qualification process 553
- International Telecommunications Union (ITU) 397, 473
- Internet 441
- interplanetary internet (IPN) 468
- interplanetary missions 147–66
 - overview 147–8
- interplanetary transfer 148
- Inter-Range Instrumentation Group (IRIG) 455
- INTERSPUTNIK 398
- inverse-square law 360
- ion engines 203
- ion thruster 206–7
- ionizing dose 577
- ionizing radiations 25, 589–92
- ionosphere 24, 38
- Iridium 5, 127, 402
- IRIDIUM satellite personal communications
 - network (S-PCN) 5, 127, 274, 398, 402
- ISO 143
- isothermal nodes 364, 367, 372
- iterative process 614
- ITURadiocommunication Sector (ITU-R) 397–8, 419
- ITUTelecommunication Standardization Sector (ITU-T) 397

- Jacobi Integral 106
- Java Picture Experts Group (JPEG) 473
- joint gravity model (JGM) 95
- Jupiter 38, 150, 152, 551

- Kaufmann engine 205
- K-band Steerable Antenna (KSA) 482
- Kennedy Space Center (KSC) 232
- Keplerian orbit 79, 94, 114–16, 119, 147
- Kepler's equation 87, 89, 90
- Kepler's first law 80, 84
- Kepler's second law 80, 83
- Kepler's third law 85
- Kirchhoff's law 361, 362
- Kiruna X-band ground station 656

- Lagrange multipliers 219
- Lagrange's equations 95, 103
- Lagrangian points 107
- laminar hypersonic regime 234
- Laplace operator 67
- laser interferometer spaceborne antenna (LISA) 208
- laser retro-reflector (LRR) 651
- laser tracking stations 479
- latch-up 475, 563
- latent heat of vaporization 377
- lateral loads 248
- latitude station-keeping 142
- launch acceleration 12
- launch azimuth 120–1, 224
- launch inertia loads 246
- launch loads 248–53
- launch monitoring ground stations 112
- launch phase 12–17, 112, 221–6, 454
 - acoustic/vibration environment 12
 - ambient atmospheric pressure 16
 - electromagnetic interference (EMI) 16–17
 - mechanical shock 15
- launch success rate 237
- Launch Support Network 450
- launch vehicles 171, 211–18
 - basic performance and operation 211–20
 - benefits of multi-staging 220–1
 - burn-out velocities 216
 - costs and reliability 237–8
 - expendable 244
 - future 284
 - interface 243–6
 - latitude of launch site 216
 - mission requirements 215–18
 - multi-staged 218–20
 - optimization procedure 219
 - propulsive losses 213
 - selection 243
 - small launchers 233
 - small-satellite missions 599–603
 - spacecraft adaptor 244
 - thrusting operations 218
 - variation of velocity increment with number of stages 220
 - vehicle dynamics 211–15
- launch windows 120–2
- LEO 3–5, 8, 23, 24, 27, 40, 72, 104, 111, 113, 118, 120, 122, 127, 172, 203, 215, 219, 220, 224–5, 233, 299, 309, 313, 327–8, 344, 352, 386, 394, 447, 453, 512, 526, 589, 603, 604, 618, 619, 628, 636, 657
- LH₂/LOX propellants 237
- libration mode 72
- libration points 106, 107
- light detectors 524
- light emitting diode (LED) 524
- limit cycle 322
- limit load 254
- line of apsides 84
- linear energy transfer (LET) 42, 43
- linear integrated circuits 578
- linearity 433–4
- linearized unperturbed spacecraft motion 137
- linearizer 445

- link availability 474
- link budget 424-6
- link layer data processing 474
- liquid apogee motor (LAM) 134, 136, 223
- liquid loops 381-2
- liquid propellants 182-7, 193
- liquid-trap heat pipe diode 381
- load paths 246, 258
- local oscillators 440
- local time coverage 125
- Lockheed Martin Venturestar reusable launch vehicle (RLV) concept 181
- locomotor system 45
- long duration exposure facility (LDEF) 41
- long-term stability 67, 70
- longitude evolution following east burn 141
- longitude station-keeping 140-1
- longitudinal drift 99
- longitudinal loads 248
- loop heat pipes (LHPs) 376, 378
- louvres 382-3
- low Earth orbit see LEO
- low-noise amplifier (LNA) 428, 439
- LOX/LH2 propellants 184, 231
- lubricants
 - dry 527
 - wet 527
- lubrication 522, 526-7
- Lunar Roving Vehicle 523
- luni-solar perturbations 101-3, 138

- machine vision system (MVS) 599
- magnetic fields 537-8, 546
- magnetic properties, solar system bodies 38
- magnetic screening 538
- magnetic torque 301-2
- magneto-plasma dynamic (MPD) 203
- magnetometer 316, 535
- magnetoplasmadynamic (MPD) arcjet 209
- magnetosphere 23, 25, 38
- man, environmental effects on 44-5
- man-made space debris 34
- man-tended free flyer (MTTF) 642
- Margin of Safety 254
- Marmon clampband 503
- Mars Climate Orbiter 622
- Mars Express structure configuration 280-1
- Mars lander deployable camera mast 508
- Mars Pathfinder Mission 164
- Mars Polar Lander 622
- mass budget 430-1
- mass movement 305
- mass ratio 57
- mass requirements 256
- material properties 259-63
- material selection 259-67
 - ease of manufacture/modification 262
 - specific stiffness 261
 - specific strength 259-61
- material strength, environmental effects 41
- materials 525-6
 - applications 263-5
 - environmental effects 39-44
 - performance 568
 - stress/performance characteristics 570
- maximum power-point trackers 347
- mean anomaly 87
- mean free path 24
- mean longitude free drift 141
- mean motion 87, 90
- mean time between failures (MTBF) 565
- mechanical environment 592
- mechanical resonance 592
- mechanically pumped two-phase loops 381
- mechanisms, reliability of 566-7
- Medium Earth Orbit (MEO) 111, 396
- memory load command frame structure 463
- memory protection 563
- memory washing 564
- MERIS 647, 656
- mesh double bumper shields (MDBS) 274
- metal matrix composite materials 265
- metal oxide 590
- metal oxide semiconductor field effect transistor (MOSFET) 43
- metallic shielding 563, 564
- metals 263-4
- meteoroids 34
 - terrestrial mass-influx rates of 34
- Meteosat 385, 624
 - case study 633-42
 - second generation (MSG) 638, 640, 641
- method of the variation of orbital elements 94
- MetOp 514, 653
 - structure configuration 277
- micro-electro-mechanical systems (MEMS) 610, 611, 657
- microelectronics 582
- micro-gravity environment 592
- micrometeoroids 34
- microprocessors 475
- microsatellite platforms 592-6
- microsatellites 581
 - mounted as auxiliary payloads 600
 - mounted directly on primary payload spacecraft 601
- microvibration 253
- microwave filter 443
- microwave parts 577
- microwave radiometer (MWR) 650
- microwave transistors 577
- Mil-spec 589

- MIL test method 565
 military applications, small satellites for 608
 milk-glass hemisphere 367
 miniaturization, advances in 610
 minimum drift orbit 126
 minisatellite platforms 595-7
 MIPAS 648-9
 mirror thermal control unit (MTCUE) 388
 mission analysis 111-67
 categories 111
 operational and design issues 116-22
 system aspects 111
 mission costs 584
 mission duration 350
 mission objectives 5
 mission objectives and requirements 6
 mission phases 453-4
 mission planning 221-6
 mission requirements 6
 system engineering 613-14
 mission specification 116
 missions 2-4
 mixers 439-40
 noise temperature 439
 MMH/nitrogen tetroxide 184, 196-7
 mode control unit (MCU) 347-8
 modulation 402-8, 465, 473
 choice of system 416
 modulation index 403, 406
 modulation waveform 434
 module box 594
 Molniya orbit 118, 144-6
 moment-of-inertia 67, 70, 73
 moment-of-momentum 53-4
 conservation 82
 rate of change 55
 momentum 51
 effect of external forces on 52
 momentum bias 60, 65, 70, 291
 momentum dumping 290
 momentum management system 287
 momentum storage 290
 momentum storage torquers 305-7
 momentum vector 54
 momentum wheels (MWs) 305-7, 513-15
 monolithic microwave integrated circuits (MMIC) 439
 monopropellant hydrazine 194-5
 Monte Carlo simulation 559
 Moving Pictures Expert Group (MPEG-2)
 coding standard 408
 MST 657
 multi-channel per carrier (MCPC) 416
 multi-layered insulation (MLI) 272, 274, 378-9
 multi-paction 446
 multi-path propagation 421
 Multiple Access (MA) system 482
 multiple coverage 129
 multiple rigid bodies of a more general nature 62
 multiple-mesh bumper shield (MMBS) 274
 multipoint grounding (MPG) scheme 543-4
 multipoint modal survey testing 272
 multi-shock shields (MSS) 274
 multi-temporal images 646
 muscular atrophy 44
 n-plane polar constellations 131
 n-type contact 331
 nanosatellite platforms 597-9
 narrow-band FM (NBFM) 408
 NASA 161, 325, 343, 462
 X-33 demonstrator programme 238
 National Aero-Space Plane (NASP)
 programmes 191
 national facilities and cost reduction of ground system 497-8
 Navstar Global Positioning System (GPS) 127, 316-17
 Near Earth Asteroid Rendezvous (NEAR) Shoemaker spacecraft 1, 154
 (negative) exponential distribution 561-2
 NERVA 169
 Newtonian dynamics 49
 Newtonian equations 53, 55, 56, 60, 73
 Newtonian mechanics 51
 Newton's law of gravity 81
 Newton's second law of motion 82
 NiCd batteries 344-5, 352
 NIMBUS louvre system 383
 nodal breakdown 372
 nodal regression 97
 nodal temperatures, calculation 368-70
 noise
 AM systems 413
 FM systems 413
 radio communications 409
 noise factor 411
 noise temperature 410-12
 mixers 439
 noise voltage waveform 409-10
 non-conservative forces 58
 non-destructive testing (NDT) techniques 265
 non-geocentric orbits (lunar and interplanetary) 111
 non-precessional response 298
 non-preferred materials 568
 non-spinning (inertial) frame of reference 69
 North-South station keeping (NSSK) 205
 nozzle expansion ratio 179

- nozzle flows
 - non-ideal expansion 178
 - overexpanded 177
 - underexpanded 178
- nozzle geometry, thrust improvement from 178-9
- nozzle performance and design 177-81
- nuclear fission systems 327, 342
- number of satellites as function of orbit height and minimum elevation 132
- nutation 69
- nutation damping 296
- nutation frequency 69
- nutation mode 70-2, 294
- nutation model 295
- Nyquist criterion 405

- observation planning and scheduling 487
- observatory mode 143
- octave bands 251
- Olympus antenna pointing mechanism (APM) 517, 518
- Olympus reaction wheel 514
- on-board computers (OBCs) 319, 587, 588
- on-board data handling (OBDH) system 451-2, 468-74, 587, 588, 654
- on-board data storage 500
- on-board software 491-2
- on-board transponder 426-7
- on-station operations 113
- on-station requirement 253-4
- one-shot devices 501, 502-11
 - functions 502
- open-cycle engines 186-7
- operational amplifiers 577
- operational environments 17-39
- operational meteorological instruments 643
- operational status 452
- optical changes 41
- optical imaging 647
- Optical Solar Reflectors (OSRs) 375
- optical systems, pointing mechanisms for 518-19
- ORBCOMM 127, 132
- orbit constants 82-3
- orbit design 122-7
- orbit determination 486-7, 491
- orbit equation 91
- orbit inclination and latitude of launch site 217
- orbit intersection with Earth's shadow 120
- orbit lifetime 122
- orbit perturbations 93-105
- orbit plane motion 123
- orbit prediction 486-7
- orbit selection 349

- orbit specification 91-3
- orbit transfer 112
- orbital elements 91, 92, 93
- orbital energy equation 58
- orbital manoeuvring systems 184
- Orbital Sciences Corporation (OSC) 220
- Orbital Test Satellite (OTS) 367
- OSCAR 581
- oscillation frequency 72
- oscillatory modes 71-3, 296-8
- oscillatory nutation mode 69
- osculating elements 94
- outgassing 39, 568
- out-of-plane forces on geostationary orbit 139
- output signal-to-noise ratio 412-16
- overcharge factor 345
- over-design 554
- overhead pass duration 118

- p-type material 331
- packet header 456
- packet telecommand 462-4
- packet telemetry 456-7
 - data flow 457
- panel cleat joints 266
- parabolic trajectories 88-9
- paraboloidal reflector antennas 437
- parallel axis theorem 76
- particle dynamics 81-91
- particle ejection 60
- particle radiation data 576-8
- pass schedule 487-8
- passive IM products (PIMs) 446
- passive intermodulation 445-7
- passive thermal control 373, 375
- password 493
- patched conic examples 148-53
- patched conic method 147, 151
- payload 2-4, 6, 450
- payload attachment methods 246
- payload carrier (PLC) 652
- payload data 453
- payload data handling and transmission (PDHT) system 470-1
- payload data segment 645
- payload electrical parameters 430-2
- payload equipment bay (PEB) 652
- payload experiments and instruments 472
- payload module (PLM) 652, 652-3, 656
- payload module computer (PMC) 654
- payload processors 470
- payload system performance 430-5
- payload units 429
- peak deceleration rate 234
- peak heat flux 16
- peak heat transfer rates 235

- peak-heating load 164
- peak-heating rate 164
- Pegasus 12, 17, 220
- performance plateaux 132
- periapsis (or perifocus) 85
- perpendicular axis theorem 76
- personal global communication systems 127
- personnel, ground stations 494, 498
- perturbing forces 81
- phase change materials (PCM) 378, 380
- phase modulation (PM) 403
- phase-reversal keying (PRK) 405, 408
- phase-shift keying (PSK) 404, 455
- phased array antenna 438
- photoionization 24
- photovoltaic devices 325–6
- picosatellites 610
- PID control algorithm 319–24
 - implementation for roll error 320–1
- PID controller, on/off system 322–4
- Piezoelectric Vibratory Gyroscopes (PVGs) 318
- PIN diodes 577
- ping-pong method of EastWest station-keeping 141
- pitch 307
- pitching manoeuvres 213
- Planck see First/Planck
- Planck curve 357
- Planck's constant 409
- plane-polarized wave 417
- planetary albedo 358
- planetary alignment 121
- planetary atmospheric entry and aeromanoeuvring 160–6
- planetary entry vehicles 165
- planetary radiation 359–60
- planetary swing-by manoeuvres 151
- plasma tails 155
- platform operation 472
- POEM-1 643, 653
- pointing mechanisms for optical systems 518–19
- polar LEO/remote-sensing satellites 122–7
- polar platform (PPF) 642, 645, 651
- Polar-Orbiting Earth-Observation Mission 643
- polarization 417, 419–20
- polarization discrimination 424
- polarization loss 424
- polymer composites 263
- polymers 526
- polytetrafluoroethylene (PTFE) 522
- PoSAT-1 584
- position versus time relationship 85, 86, 89
- post-launch control 493
- post-mortem checks 564
- post-pass software 490–1
- potential energy (PE) 58
- power-augmented hydrazine thrusters (PAEHT) 204
- power budget 349–54, 430–1
 - evaluation 350–1
 - mission specific design issues 349–50
 - typical structure 351
- power control and distribution network 326, 327, 346–9
- power control and distribution unit (PCDU) 349
- power conversion unit (PCU) 349
- power distribution unit (PDU) 653
- power gain 423
- power profile for payload and subsystem operation 353
- power supplies and EMC 545
- power system 4, 501
 - efficiencies definition 351–2
 - elements 326–8
 - failure 325
 - sizing 351–4
- precession of gyroscope 60
- precession of line of apside 96–7
- precession of orbit's plane 54
- precession of spinner due to torque 69
- precessional angular rate components 294
- precessional response 298
- Preferred Parts List (PPL) 567
- pre-launch environment 11–12
- pre-launch phase 112
- preliminary design review (PDR) 572, 617
- pre-pass software 486–8
- pressure vessels 254
- primary cosmic radiation 31–2
- primary energy source 326–8
- primary power system 328–43, 347–9
- principal axes 61, 74
- printed circuit board (PCB) 380, 475, 592
- probability density function (PDF) 410
- probability distributions 561–2
- process performance 568
- process stability 565
- product assurance (PA) 528, 549–79
 - disciplines 550
 - history 551–2
 - objective 550–1
- products of inertia 74
- programme control 489
- prohibited materials 569
- proof factor 254
- propellants 182–4, 203–4
 - liquid 182–4, 185–7, 193
 - management 191–3
 - solid 184, 187–8, 197

- propellants (*continued*)
 - storage and delivery systems 192
 - tankage 219
- proportional, integral and differential algorithm
 - see PID control algorithm
- propulsion systems 169–210
 - bi-propellant 196–7
 - classification 169–72
 - comparative rocket performance 171
 - range of tasks and performance requirements 171
 - secondary 193–8
 - typical functions 193
- propulsive losses, launch vehicles 213
- proton radiation 29, 563
- proton spectra 21
- proximity links 466
- Pseudo-random Noise (PN) code 482
- pulse code modulation (PCM) 405, 406, 408, 453, 454, 455, 460
 - telecommand standards 460–2
 - waveforms 459
- pulse plasma thrusters 209
- pyrotechnics 524–5

- QinetiQ 606, 608
- quadrature phase-shift keying (QPSK) 405, 473
- qualification process 549, 550, 552–3
 - International Space Station (ISS) 553
 - protoflight approach 552–3
 - prototype approach 552
 - similarity analysis 270, 550
- qualification vibration testing 592
- Qualified Parts List (QPL) 567
- quality assurance 265–7
- quality factor 443, 557, 592
- quality level 557
- quantization process 406
- quasi-static loads 248
- quiet-time energy spectra 31

- rad-hard version 591
- radar altimeter-2 649–50
- radar imaging (ASAR) 646–7
- radiated emissions 536–8
- radiated susceptibility 538
- radiation belt model particle fluxes 28
- radiation belts 45
- radiation damage 41, 331–4, 354
- radiation dose in space-laboratory 45
- radiation effects 563
- radiation environment 474
- radiation equivalence 578
- radiation flux 577
- radiation hard parts 564
- radiation pattern 422–3
- radiation-sensitivity characteristics 576–7
- radiation shielding analysis 42–3
- radiation units 577–8
- radiative heat exchange 365–8
- radiative view factor 365
- radio communications 402–20
 - modulation 402–8
 - multiple access 409
 - noise 409
- radio frequency beacons 316
- radio frequency interference (RFI) 533
- radio propagation 416–22
- Radio-Sputnik (RS) 581
- radioactive decay process (RTG) 327
- radioisotope thermoelectric generators (RTGs) 325–6, 339–42, 350
 - advantages 341
 - disadvantages 341
 - possible fuels and their performance 340
 - system performance 342
- Random Access Memory (RAM) 492
- random vibration for Ariane 4 251–2
- ranging 465–7
 - accuracy 480
 - equipment 479
 - transponder 450
- Rankine cycle 384
- rate gyroscope 321
- rate-integrating gyro (RIG) 317
- reaction control equipment (RCE) 454
- reaction wheels (RWs) 305–7, 321, 513–15
- Read-Only Memory (ROM) 491–2
- real-time software 488–90
- Red Planet 508
- Redstone 551
- redundancy 430
- redundancy models 563, 564
- redundancy status 453
- re-entry into Earth's atmosphere 233–7
- ReedSolomon (RS) block code 458
- reference point 59
- reference sensors 308
 - potential accuracies 309
 - types 310–17
- reflector 436–8
- refraction 417
- refrigerators 384–5
- regenerative transponder 429
- regional coverage geometries 131
- regression of line of nodes 96–7, 123
- relative velocity diagram 153
- relays 579
- release devices 524–5
- reliability 7–8, 128, 558–67
 - analysis 559–61
 - assessment 567

- reliability (*continued*)
 - availability, maintainability and safety (RAMS) 572
 - enhancement techniques 562–5
 - function 562
 - of mechanisms 566–7
 - testing/demonstration 565–6
 - versus cost 496
- remote terminal unit (RTU) 469–70
- rendezvous 121
- reorientation manoeuvres 295
- repointing 290
 - of spin axis 67
- request for approval (RFA) approach 550
- Reserve Factor 254
- resistojets 203, 204
- response equations 299
- restricted three-body problem 105–8
- restricted two-body problem 82
- reticle slits mask detector 310
- reverse thruster 322
- RF equipment 484
- RF filters 442
- RF transmitters 536
- RFA approach 567
- RHETT programme 198
- rigid bodies, angular momentum of 61–3
- rigid body modes 71–2
- Ring Laser Gyroscope (RLG) 317–18
- risk analysis 572–3
- rocket equation 57
- rocket motion in vertical plane 212
- rocket motors
 - liquid-propellant 185–7
 - solid-propellant 187–8
- roll 307
- roll error 321
 - implementation of PID control algorithm for 320–1
 - limit cycle 322, 323
 - response 323–4
- Roll-Ring 522
- root location diagram 292, 294–6
- root-mean-square (r.m.s.) 410
- ROSAT 497
- Rosetta 158, 383, 384, 622
 - lander landing gear 505
 - lander or planetary probes 502
- rotated axes theorem 76
- rotating code disk 524
- rotation see translation/rotation separation
- rotation matrix 75
- rotational equations 62
- rotational kinetic energy 63
- Rutherford Appleton Laboratory (RAL) 608
- Saab Ericsson Space separation mechanism 504
- SAD 520, 521, 525, 527
- safe life (SL) 571
- safety 569–73
- safety analysis 573
- safety factors 254–5
- sampling process 405
- SANGER 191
- Satellite Personal Communication Network services 447
- satellite constellations 127–32
- Satellite Control Facility (SCF) 460–2
- satellite elevation 117
- satellite power system (SPS) 203
- satellite repeater 426–7
- satellite-switched TDMA (SS/TDMA) 416
- Saturn V 184
- scanning Earth-horizon sensor 313
- SCIAMACHY 649
- scintillation 417, 419
- SCRAMJET 190
- screening 567
- Second Surface Mirrors (SSM) 375
- secondary energy source 327–8
- secondary payloads 599
- secondary power systems 343–6
- section properties 265
- sector analysis 563
- sectoral harmonic coefficients 95
- security 493
- SED16 star sensors 315
- semi-latus rectum 84
- semiconductor materials 42, 329, 330, 339
 - damaging effects 43
- sensitivity analysis 563
- sensors 472, 524
 - categories of 308
 - mixed reference/inertial system 309
 - see also reference sensors; Sun sensors
- separation systems 503
- sequential switching-shunt regulation (S³R) 347
- service module (SVM) 619
 - systems engineering 652
- SHIELDSO 30
- shock loads 253
- shock testing 592
- shutters 382–3
- shuttle orbiter thermal protection system 236
- Shuttle Space Transportation System (STS) 211, 230–32, 244, 246
 - mission performance 232
 - orbital performance 232
 - vehicle design summary 231
- sidelobes 422, 436
- sidereal motion 124

- sidereal period 123
- signal path 427-9
- signal processing 472
- signal-to-noise ratio (SNR) 410, 429-30
- signal-to-noise-power-density ratio 413, 425
- signal voltage waveform 409-10
- silicon cells 329, 335
- silo launch 601
- simulation 488
- sine vibration environment for Ariane 4
 - 249-50
- single channel per carrier (SCPC) 416
- single event upsets (SEU) 474
- single sideband modulation (SSB) 413
- single-access system 482
- single-event effects (SEEs) 42-4, 589, 591
- single-event latch-up (SEL) 43, 591
- single-event upsets (SEUs) 27, 30, 43, 563, 591
- single-point ground (SPG) scheme 541-3
- single-stage-to-orbit (SSTO) concepts 180
- six-plane polar constellation 131
- six-sigma process 284
- SKYBRIDGE 402
- slant range 117
- slip rings 521-2
- SLR (Satellite Laser Range) stations 481
- small body orbiter/lander mission 157-60
- small object missions 153-60
 - mission impact upon orbiter and lander system design 157-60
 - motion around small, irregularly shaped bodies 155-7
 - near-body environment 155
 - overview 153-4
- small satellites 581-612
 - affordable launches 599-603
 - applications 604-8
 - classification 582-3
 - computer processors 587
 - design philosophy 585-8
 - for communications 604
 - for Earth observation 606-7
 - for military applications 608
 - for space science 605
 - for technology verification 606
 - in-orbit operations 603-4
 - system design 586-8
 - total number launched 602
- small spacecraft, structure configuration 278
- SNAP-19 342
- SNAP-1 597, 598, 599
- sneak path analysis 571-2
- software control mechanisms 493
- software lifecycle management scheme 560
- software reliability 559
- software tools 622
- solar absorptance 362
- solar array drive (SAD) 512
- solar arrays 72, 292, 327, 328-36, 509-10, 630
 - design 352
 - performance figures 336
 - regulator 347
 - size 353
 - spinning satellites 336
 - three-axis-stabilized satellite 336
- Solar Cell Technology Experiment (SCTE) 606
- solar cells 275, 325, 328-36
 - current-voltage characteristics 329
 - effects of thickness and fluence 333
 - efficiency as function of temperature 330
 - interconnections 335
 - power-voltage characteristic 330
- solar constant 358, 360
- solar dynamic systems 342, 343
- solar energetic particle events 32-6
- solar flare activity 563
- solar flares 19, 45
- solar heat systems 342-3
- Solar Max satellite 551
- solar maximum 590
- solar motion 124
- solar panels 593
- solar power assemblies (SPA) 347
- solar power satellite systems (SPS) 325
- solar proton events 32
- solar radiation 17-19, 355, 357-9, 362
 - intensity 358
 - perturbation 136
- solar radiation pressure (SRP) 103-5, 169, 289, 304-5
- solar spectrum 17
- solar system
 - approximate atmospheric parameters 38
 - environments 36-9
 - magnetic properties of major bodies 38-9
 - mass characteristics and orbit 37
 - physical properties of major bodies 83
- solar variability 20
- solar wind 19, 23, 25
- solid polymer electrolyte (SPE) 339
- solid propellants 184, 187-8, 197
- solid-state power amplifier (SSPA) 429, 445
- solid-state recorders (SSRs) 655
- South Atlantic Anomaly (SAA) 589
- space-borne observatories 143-4
- space communication protocol standards (SCPS) 467
- Space Communications Protocol Specification 456
- Space Race 8
- space science, small satellites for 605

- Space Shuttle 152, 224, 244, 355
 - interfaces 246
 - main engine and booster performance 231-2
 - mounting of spacecraft 247
 - solid rocket booster 189
- space structures, future 284-5
- space-to-ground link (SGL) antenna 482
- spacecraft
 - classification 63-4
 - by mass and cost 582-3
- spacecraft attachment clamp band 244-5
- spacecraft design, environmental effects on 39-45
- spacecraft environments 11-47
 - pre-operational 11-17
- spacecraft mechanisms 501-29
 - basic categories 501
 - general requirements 501-2
- spacecraft station-keeping 171
- spacecraft structures 241-85
 - configuration examples 274-83
 - design process 257-9
 - design requirements 241-57
 - design verification 270-2
 - non-rotating 289
 - orientation required 288
 - specification 241-2
- spacecraft systems, types and shapes 4
- Spaceflight Tracking and Data Network see STDN
- SPACEWAY 402
- species concentration 22
- specific proof strength 259
- spectral distribution 357
- spectrum 406-8
- Spectrum-X 497
- SPELDA see SYLDA/SPELDA
- SPELTRA 229
- spheres of influence 147, 148
- spin axis
 - choice of 66
 - repainting of 67
- spinning aircraft 293-4
 - response in axes fixed in structure 293-4
 - response in non-spinning axes 294
- spinning body, stability 66
- spinning satellites, solar array 336
- spinning spacecraft 65-9
- Split Phase-Level/Phase Modulation (SP-L/PM) 465
- spot shielding 591
- SPOT spacecraft 126, 514-15, 600, 651
 - imaging system 127
- spurious products 434
- SPUTNIK I 1
- SPUTNIK-40 597
- SPUTNIK-41 597
- SS-18 ICBM 601
- SSME 184, 186, 231
- SSTL 582, 593, 594, 595-6
- SSTL Mission Control Centre 603
- stability 70
- standby redundancy 562-3
- STAR 37E rocket motor 197
- star mappers 315
- star pattern constellation 131
- star scanners 315
- star sensors 313-15
 - classification 315
- star trackers 315
- static Earth-horizon sensor 312-13
- station acquisition 136
 - from drift orbit 223
- status checking 490
- STDN 478
- STDN stations 479, 480
- steady-state calculations 370
- StefanBoltzmann constant 361
- STEX spacecraft 208
- Stirling cycle 385
- streets of coverage 129
- stress corrosion cracking (SCC) 261, 526
- stress corrosion resistance 261-2
- StrongARM RISC processor 599
- STRV-1 311
- sublimation 39, 40, 262
- subsystems 6, 7
- surface deployment devices 509-11
- Sun sensors 310-11
 - with digital output 311
- Sun-synchronism 124
- Sun-synchronous orbit 122, 125
- sunspots 19
- super-insulation systems 378
- surface acoustic wave (SAW) device 442
- surface contact ionization 205
- surface finishes 375
- surface impact speed 160
- Surrey Satellite Technology Ltd see SSTL
- survivability 128
- susceptibility testing 539
- swing-by manoeuvres 55, 151
- swing-by passage behind planet 152
- swing-by passage in front of planet 152
- switch mode power converters 534, 545
- SYLDA/SPELDA 228, 229-31
- synthetic aperture radar (SAR) 540, 643
- system architecture 450-2, 473
- system context 451
- system engineering 5, 613-57
 - attitude and orbit control subsystem (AOCS) 653-4
 - budgets 623-4

- system engineering (*continued*)
 - case studies 624–56
 - checklist of system requirements 619
 - communications subsystem 656
 - configuration and structure 652–3
 - design drivers 622
 - developments 620–2
 - future 8–9
 - mission requirements 613–14
 - phase A (feasibility) 615–16
 - phase B (detailed definition) 616
 - phase C/D (development, manufacture, integration and test) 616–17
 - phase E (mission operations and data analysis) 617
 - programme phases 614–17
 - service module (SVM) 652
 - techniques 617–20
 - trade-offs 623
- System for Nuclear Auxiliary Power (SNAP-19) 342
- system level interactions 335–6
- system modularity 497
- tape spring hinge 504
- tape spring joint 506
- Taylor cone 208
- telecommand 460–5
 - decoder 461
 - user interface 460
- Telecommunication Development Sector (ITU-D) 397
- telecommunications equation 425
- telecommunications satellites 393–447
 - block diagram 395
 - customer requirements 397
 - development 393–5
 - frequency allocations 399–401
 - international regulations 397
 - payload 395–6, 426–47
 - system constraints 396–402
 - system types 396
 - technical constraints 397
 - see also radio communications
- telecommunications spacecraft, finite element modelling 268
- TELEDESIC 402
- telemetry 588
- Telemetry Channel Coding Standard 458
- telemetry coding guidelines 458
- telemetry, command, data handling and processing system 449–76
 - relationship with other subsystems 450–1
- telemetry data
 - classification 452–3
 - encoding 454–5
 - formatting 452–60
- telemetry downlink 450
- telemetry list and data format 455–6
- telemetry transmitter 534
- telescope systems 355
- telescopic assemblies, extension/deployment 506–8
- Telstar I 393
- temperature control see thermal control
- temperature evolution
 - side-to-Sun, maximum eclipse 374
 - top-to-Sun, maximum eclipse 374
- temperature-lifetime relationship 575
- temperature profile of atmosphere 23
- tensile loading conditions 262
- tensioning wires 336
- terminal devices 469
- terminator 312
- terrestrial mass-influx rates of meteoroids 34
- tesseral harmonic coefficients 95, 96
- tesseral harmonics 96
- test loads 254
- test readiness review (TRR) 617
- testing 527
- thermal analysis 356, 364–70
- thermal arc jets 203
- thermal balance 361–4
- thermal conductance 364
- thermal control 256, 355–91, 589
 - active 373, 379–85
 - passive 373, 375
- Thermal Control System (TCS) 350
- thermal design 356, 371–5
 - example 387–90
 - requirements and constraints 371
 - verification 385–7
- thermal distortion 355
- thermal environment 15–16, 356–61
- thermal mathematical model (TMM) 364, 370–2, 375, 378, 385, 386
- thermal model verification 386–7
- thermal paths 256
- thermal radiation 359–60
- thermal technology 375–85
- thermal testing 356
- thermoelectric cooling 384
- thermoelectric effect 339
- THERMXL 370
- three-axes-stabilized craft with momentum bias 70
- three-axis-stabilized satellite, solar array 336
- three-axis-stabilized spacecraft with no momentum bias 64–5, 292
- three-body problem 105–8
- thrust coefficient 179, 180, 182
- thrust delivered by rocket 170
- thrust improvement from nozzle geometry 178–9

- thrust vector 57
- thrusters 299–301
 - advantages 300
 - disadvantages 300
 - on/off control 322
 - orbit-changing 299
- time-division multiple access (TDMA) 409, 416
- time-division multiplexing 454
- titanium/silver (Ti/Ag) 331
- TOPSat 609
- torque 67
 - height-dependent 304
 - precession of spinner due to 69
- torque components 69, 303
- torque impulse 56
- torque pulses 295–6, 323
- torque requirements 289
- torque responses 71, 297
- torquers 299–307
 - advantages and disadvantages of various types 299–301
- torques 299–307
 - external 299–305
 - internal 299, 305–7
- total dose damage 474
- total dose effects (TDEs) 589
- total mass loss (TML) 568
- tracking 488–9
 - automation 498
- tracking and data relay satellite system (TDRSS) 3, 9, 335, 450, 481–3, 510, 618
 - configuration and coverage limits 482
- tracking, telemetry and command (TT&C) 429, 481, 484, 486, 497
- trade-offs, system engineering 623
- trajectory dynamics 51–8
- transfer of reference point 59, 76
- Transfer Orbit 299
- transfer velocity definitions 115
- transient calculation 370
- transistors 578
- TRANSIT system 127
- transition flow 161
- translation/rotation separation 49–50
- translational kinetic energy 57–8
- translational motion
 - effect of external force 53
 - under propulsion 56–7
 - with no propulsion 52–3
- transmitters 428, 444–7
 - power requirement 424–6
- transparent repeater 429
- transponders 426–30, 429–30
- travelling wave tube amplifier (TWTA) 444–5
- travelling wave tubes (TWT) 429, 439
- triaxiality 96, 99–100
- tribology 526–7
- true anomaly 84
- Tsiolkovsky equation 172, 199
- TUBSAT-N 597
- TUBSAT-N1 597
- tundra orbit 146–7
- two-body problem 79, 81–91
 - solution 84
- two-phase systems 376–8
- UK-10 xenon thruster 205
- ultimate level 254
- ultraviolet emission 19
- ultraviolet exposure 41
- ultraviolet radiation 333
- Ulysses 114, 151, 153, 541
- Ulysses-type swing-by 151–3
- umbrella-type antenna 510–11
- under-design 554
- universal asynchronous receiver and transmitter (UART) 475
- Universal Time Coordinated (UTC) 481, 486
- UoSAT 587, 588
- UoSAT-12 596, 597, 601, 607
- UoSAT-1 582, 593, 607
- UoSAT-2 582, 607
- UoSAT-5 606, 607
- up-converter 428
- uplink frequencies 465
- US standard atmosphere 24
- V slit sensor 311
- vacuum effects 589
- vacuum-rated RTV silicone rubber 592
- Van Allen radiation belt 25, 27, 38, 41, 143, 589
- Vanguard 551
- Vanguard 1 325
- variable conductance heat pipes (VCHPs) 380
- velocity relationships 88
- verification 527, 575
- vertical-launch reusable vehicle 8
- very high-speed integrated circuit hardware
 - description language (VHDL) 476
- very large scale integration (VLSI) 581
- vestibular problems 45
- vibration mode isolation 272
- vibration requirements, minimum natural frequency 255
- view factor 365–8, 372
- Viking lander vehicle 342
- virtual channel data units (VCDU) 456, 655
- vis-viva equation 106
- vis-viva integral 83

- Viterbi decoding 458
voltage-controlled oscillator (VCO) 455
Voyager 151
Vulcain engines 184, 186
- Walker Delta pattern constellation 130
wavelength 422
Weber number 191
Weibull distribution 561
weld zones 262
Western Test Range (WTR) 224, 225
Whipple bumper shields 273-4
White Sands Ground Terminal (WSGT) 482
wide-band FM (WBFM) 408, 416
Wide-Field Infra-red Explorer 622
World Administrative Radio Conference (WARC) 474
- World Radio Conference (WRC) 398
worst-case conditions, definition 371-2
- X-33 demonstrator 181
XIPS propulsion unit 205
XMM/Newton 143, 387, 618, 619
X-ray multi-mirror mission see XMM/Newton
X-ray telescope 388
- yaw 307
yaw-steering mode (YSM) 653-4
yellow-dwarf star 17
- zero drift orbit 126
zonal harmonic coefficients 95
Zurich sunspot number 19, 20